				Form WWC-5				
OCATION OF WAT		Fraction		i i	tion Number	Township Numb		Range Number
inty: Dickins)n	NW 1/4		W 1/4	20	T 13	S	R 1 (E/)
		wn or city street addr		_				•
		man, Kansas	en highway	40				
WATER WELL OW		-				Poord of Agric	ultura Divi	sion of Water Resource
#, St. Address, Bo. /, State, ZIP Code	_	ast Williams on, Kansas ((7),80			Application Nu		Sion of Water nesource
·				1.5	4 FI F\/A			
N "X" IN SECTIO	N BOX:					2		
	} 					face measured on mo		
i								ing gpm
NW	NE							ing gpm
	;	Bore Hole Diameter	r 9 in t	6 41	ff :	and	in to	· · · · · · · · · · · · · · · · · · ·
w 	F .	WELL WATER TO		5 Public water		8 Air conditioning		ection well
	<u>i</u>	1 Domestic	3 Feedlot	6 Oil field wa	,			er (Specify below)
sw	SE	2 Irrigation	4 Industrial					·····
		Was a chemical/bac	cteriological sample					o/day/yr sample was sut
	5	mitted				ter Well Disinfected?		No
TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concre	ete tile	CASING JOINTS	S: Glued .	*Clamped
1 Steel	3 RMP (S	R) 6	Asbestos-Cemen	t 9 Other	(specify below	v)	Welded	
2 PVC	4 ABS		' Fiberglass					d
nk casing diameter	5	.in. to 41	ft., Dia	in. to	· · · · · · · · · · · ·	ft., Dia	in.	to ft.
			., weight	1.0	lbs./	ft. Wall thickness or ga	auge No.	•<111
PE OF SCREEN O	_			7 PV	-	10 Asbesto		
1 Steel	3 Stainless		Fiberglass		IP (SR)	•		• • • • • • • • • • • • • • • • • • • •
2 Brass	4 Galvaniz		Concrete tile	9 AB	S	12 None us	` •	,
REEN OR PERFOR				zed wrapped			11	None (open hole)
1 Continuous slo		lill slot		wrapped		9 Drilled holes		
2 Louvered shutt REEN-PERFORATE		ey punched From3	7 Tord		4 From	10 Other (specify)	4 4-	
HELIN-FERFORATI	ED INTERVALS.	From	ft to		# From	n	II. IO	π.
GRAVEL PA	CV INTERVALC.	Гют)3°	1.5	II., FIUI	II	n. w.	
		⊢rom •	ft to	41	ft From	n	ft to	4
3 E . //	CK INTERVALS:	From				n		
		From	ft. to		ft., Fror	n	ft. to	ft.
GROUT MATERIAL	.: 1 Neat o	From 2 (ft. to Cement grout	3 Bento	ft., Fron	n Other	ft. to	ft.
GROUT MATERIAL ut Intervals: From	.: 1 Neat o	From cement 2 0	ft. to Cement grout	3 Bento	ft., From nite 4 to	n Other	ft. to	ft.
GROUT MATERIAL ut Intervals: From	.: 1 Neat o	From cement 2 0 ft. to	ft. to Cement grout	3 Bento ft.	ft., From nite 4 to	n Other ft., From ock pens	ft. to	ft. to
GROUT MATERIAL ut Intervals: From at is the nearest so	.: 1 Neat of possible	From cement 2 0 ft. to	ft. to Cement groutft., From	3 Bento ft.	ft., From the fit. ft., From the fit. ft., From the fit. ft., From the fit. ft., From the fit.,	n Other ft., From ock pens	ft. to 14 Aban 15 Oil w	ft. to
GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank	n. I Neat of possible 4 Later 5 Cess	From cement 2 0 ft. to	ft. to Cement groutft., From 7 Pit privy	3 Bento ft.	ft., Fron ft., F	n Other ft., From ock pens storage	ft. to 14 Aban 15 Oil w	ft. toft. doned water well ell/Gas well
GROUT MATERIAL ut Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines	n. I Neat of possible 4 Later 5 Cess	From cement 2 (ft. to	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	ft., Fron nite 4 to	n Other Other ock pens storage zer storage	ft. to 14 Aban 15 Oil w	ft. toft. doned water well ell/Gas well
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well?	turce of possible 4 Later 5 Cess er lines 6 Seep	From cement 2 0 ft. to	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well?	turce of possible 4 Later 5 Cess er lines 6 Seep SOUTH	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well?	turce of possible 4 Later 5 Cess er lines 6 Seep SOUTH	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From the is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew action from well? FOM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From the is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew action from well? FOM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From the is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew action from well? FOM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
ROUT MATERIAL at Intervals: From this the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? OM TO 0 29 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From the is the nearest so 1 Septic tank 2 Sewer lines 3 Waterlight sew action from well? FOM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL tut Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL tut Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to ft. doned water well ell/Gas well r (specify below)
GROUT MATERIAL at Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 31	tim. I Neat of possible 4 Later 5 Cess er lines 6 Seep SOUTH CLAY FINE SAI	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento	ft., Fron nite 4 to	n Other Other ft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to
GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 29 31 31 41	ii 1 Neat on 1 N	From cement 2 0 ft. to 21 contamination: ral lines a pool page pit LITHOLOGIC LO	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Bento ft.	ft., From the fit. From the fi	n Otherft., From ock pens storage zer storage icide storage ny feet? 180	ft. to 14 Aban 15 Oil w 16 Other	ft. to
GROUT MATERIAL out Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 29 31 31 41	DR LANDOWNER	From cement 2 0 ft. to 21 contamination: ral lines pool page pit LITHOLOGIC LO	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard G	3 Bento ft. goon FROM was (1) construction	ft., From the first firs	n Otherft., From ock pens storage zer storage icide storage ny feet? 180 LITH	ft. to 14 Aban 15 Oil w 16 Other	ft. to
GROUT MATERIAL out Intervals: From at is the nearest so a Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 29 31 31 41 CONTRACTOR'S Contractor on (mo/day/	DR LANDOWNER	From cement 2 0 ft. to 21 contamination: ral lines pool page pit LITHOLOGIC LO	ft. to Cement groutft., From 7 Pit privy 8 Sewage la 9 Feedyard G	3 Bento ft. goon FROM was (1) construction	ft., From the five state of th	n Otherft., From ock pens storage zer storage icide storage by feet? 180 LITH	ft. to 14 Aban 15 Oil w 16 Other HOLOGIC	ft. to
GROUT MATERIAL put Intervals: From at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? ROM TO 0 29 31 31 41 CONTRACTOR'S COPERACTOR'S COPERAC	DR LANDOWNER OR	From cement 2 0 ft. to 21 contamination: ral lines s pool page pit LITHOLOGIC LO ND R'S CERTIFICATION () 88 397	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard G I: This water well was the control of t	3 Bento ft. goon FROM was (1) construction	ft., From the first firs	n Other	ft. to 14 Aban 15 Oil w 16 Other HOLOGIC	ft. to
GROUT MATERIAL out Intervals: From at is the nearest so a Septic tank 2 Sewer lines 3 Watertight sewed to a section from well? GOM TO 29 31 31 41 CONTRACTOR'S Copleted on (mo/day/er Well Contractor's or the business nar STRUCTIONS: Use tweether the section of	DR LANDOWNER OUR LAN	From cement 2 0 ft. to 21 contamination: ral lines pool page pit LITHOLOGIC LO ND R'S CERTIFICATION (A) 397 AL KANSAS DRI tipen PLEASE PRESS F	ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard G I: This water well water water water LLING FIRMLY and PRINT cle	3 Bento ft. goon FROM was (1) construction Well Record was early. Please fill in It	ft., Fron nite 4 to	n Other	ft. to 14 Aban 15 Oil w 16 Other HOLOGIC ed under my knowle 23 8	ft. to