


1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Dickinson		NE 1/4 NW 1/4 SE 1/4	23	T 13 S	R 1 E/W
Distance and direction from nearest town or city street address of well if located within city? At Sand Spring - 2.5 miles WSW of Abilene					
2 WATER WELL OWNER:					
RR#, St. Address, Box #		City of Abilene		Board of Agriculture, Division of Water Resources	
City, State, ZIP Code		P.O. Box 519		Application Number:	
Abilene, KS 67410					
3 LOCATE WELL'S LOCATION WITHIN AN "X" IN SECTION BOX:					
		4 DEPTH OF COMPLETED WELL: 31' ft. ELEVATION: Top = 1158.5±			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
WELL'S STATIC WATER LEVEL 21' ft. below land surface measured on mo/day/yr					
Pump test data: Well water was ft. after hours pumping gpm					
Est. Yield gpm: Well water was ft. after hours pumping gpm					
Bore Hole Diameter in. to ft., and in. to ft.					
WELL WATER TO BE USED AS:					
1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well					
2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes 50mg/l No					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
Blank casing diameter 25' Dia. to 31' ft. Dia. in. to ft. Dia. in. to ft.		7 Fiberglass	Limestone Ashlars		Threaded
Casing height above land surface 6 in., weight lbs./ft. Wall thickness on casing 1/2" ±					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL:					
1 Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			0	2	Topsoil
			2	3	Concrete Slab
			3	18	Sandy Fill Soil
			18	21	Gravel and Sand
			21	31	Limestone and Concrete Rubble
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-10-90 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 5-24-90					
under the business name of City of Abilene by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					