WATER WELL RECORD Form WWC-5	Division of Water Resources; App. No.					
1 LOCATION OF WATER WELL: Fraction	Section Number Township Number Range Number					
County: Dickinson SW 1/4 NW 1/4 SW 1	T 15 S R 1 E					
County: Dickinson SW 1/4 NW 1/4 SW 1/4 18 T 13 S R 1 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) Latitude: N 3 8 0 1848°						
located within city? 111 N Walnut St., Solomon KS	Latitude: N 38.91848° Longitude: W 97.37089°					
A AN CHAND MARK & OMNINGS AND	Elevation: RIM: 1171.38; TOC: 1171.19					
2 WATER WELL OWNER: KDHE	Datum: WGS84					
RR#, St. Address, Box # : 1000 SW Jackson Blvd	Data Collection Method: legal survey					
City, State, ZIP Code : Topeka KS 66612						
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 32	\(\frac{10}{5.4\text{3\text{3\text{5}}}\)					
LOCATON	MW1					
WITH AN "X" IN Depth(s) Groundwater Encountered 1	ft. 2 ft. 3 ft. 5 ft. below land surface measured on mo/day/yr 4/15/14					
SECTION BOX: WELL'S STATIC WATER LEVEL 23.8	ft. below land surface measured on mo/day/yr 4/15/14					
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm						
Est. Yield gpm: Well water was	ft. after hours pumping gpm					
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	c water supply to All conditioning in injection went					
1 Domestic 3 Feed lot 6 Oil field water	supply 9 Dewatering 12 Other (Specify below)					
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well						
X-sw-sE-						
Was a chemical/bacteriological sample subr	nitted to Department? Yes No X; If yes, mo/day/yrs					
Comple was a chamber of the sample of the sample of the sample was a chamber of the sample of the sa	Water Well Disinfected? Yes No X					
S Sample was submitted	CHARLES AND THE CITY OF THE CI					
5 TYPE OF CASING USED: 5 Wrought Iron 8 Co	ncrete tile CASING JOINTS: Glued Clamped					
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Ot	her (specify below) Welded					
PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 16.10 ft., Dia Casing height below land surface 0.19 ft., Weight	Threaded X					
Blank casing diameter 2 in. to 16.10 ft., Dia	in. to ft., Dia in. to ft.					
Casing height below land surface 0.19 ft., Weight	lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)						
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC	9 ABS 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	10 Asbestos-Cement 12 None used (open hole)					
LOOD TENLOD DEDEOD ATION ODENINGS ADEC						
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 2 Louvered shutter 4 Key punched 6 Wire wrapped 8	Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8	Saw Cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 16.1 ft. t	0 32.1 ft. From π to π					
From #1 1	Π . From Π . We say Π .					
CDAVELDACK INTERVALS: From 14 ft 1	0.032.4 ft. From ft. to ft.					
From	10. 110111					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3	Rentanite (4)Other Concrete: 0-12'					
Grout Intervals From 12 ft. to 14 ft. From	ft to ft From ft to ft.					
Grout Intervals From 12 It. to 14 It. From	it. to					
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify						
1 Sopularian						
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fr	rtilizer storage 15 Oil well/ gas well					
5 Water But Server 1						
Direction from well? Within basin How many feet? Within basin						
FROM TO LITHOLOGIC LOG FI	ROM TO PLUGGING INTERVALS					
0 5 Grass on top; Brown silty clay						
5 15 Fine tan sand						
15 20 Brown silty clay						
20 25 Gray silty clay						
25 32.4 Coarse gray sand						
	Flushmount waiver from BOW					
	FIUSHINOUR WALVEL IT OUT DO YY					
T CONTROL CITODIA ON A LATINOMINITO CONTROL AMON	This water wall was (1) photograph (2) reconstructed or (2) plugged					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/8/14 and this record is true to the best of my knowledge and belief.						
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed or (mo/day/year) 5/6/14						
under the business name of Larsen & Associates, Inc. by (signature)						
ITAIGRED LOCALO, Disease Elling blanks on similar the correct answers. Send ton three (INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Jealth and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send on WATER WELL OWNER and retain one for					
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telep your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.go	hone 785-296-5522. Send one to WATER WELL OWNER and retain one for					

TRITERRA LAND SERVICES

P.O. Box 546 Clearwater, Kansas 67026 Cell (316) 648-3617 Fax (620) 584-4371 Email: triterrals@yahoo.com

SURVEYING OF MONITORING WELLS COUNTRY CORNER SOLOMON, KANSAS

The site is located in Section 18, Township 13 South, Range 1 East of the Sixth Principal Meridian, Dickinson County, Kansas. The Southeast corner of Section 18 was assigned coordinates of 00.00 North and 00.00 West.

The vertical control was a NGS BM described as a disk set in the top of a concrete monument, flush with the ground, in the town park SE of the intersection of West 4th Street and Walnut Street, 3.3 feet south of the bandstand and 24 feet east of a 16 inch pine tree. Elevation: 1171.62 ft MSL. A control point was established as a chiseled 'X' on top of the curb and west end of the radius at the southeast corner of the site.

The Latitude and Longitude were recorded from a GPS unit. The site is located on the 7.5' quad map titled "Niles".

ID .	NORTH	WEST	LATITUDE	LONGITUDE	ELEVATION
SE CORNER 18-13S-1E	00.00	00.00			
CP	1431.39	4855.43	38.91833	97.37085	1171.27
MW-1 SE SW NW SW	1500.89	4868.63	38.91848	97.37089	RIM 1171.38 TOC) 2 171.19
MW-2 SE SW NW SW	1453.72	4896.15	38.91837	97.37097	RIM 1171.34 TOC 1170.98
MW-3 SE SW NW SW	1448.81	4856.41	38.91836	97.37085	RIM 1171.69 TOC 1171.25
MW-4 SE SW NW SW	1584.26	4888.86	38.91873	97.37096	RIM 1172.55 TOC 1172.19
MW-5 SE SW NW SW	1511.55	4774.49	38.91855	97.37057	RIM 1172.36 TOC 1171.83
MW-6 SW SW NW SW	1448.80	4974.56	38.91838	97.37127	RIM 1171.45 TOC 1170.96
MW-7 SE SW NW SW	1363.12	4868.69	38.91813	97.37092	RIM 1171.97 TOC 1171.52
MW-8 SE SW NW SW	1440.61	4725.73	38.91834	97.37039	RIM 1172.12 TOC 1171.74
MW-9 SE SW NW SW	1360.20	4758.78	38.91809	97.37051	RIM 1171.97 TOC 1171.74

