WATER WELL RECO						rces, App. No.	70 17 1	
1 LOCATION OF WATER County: Dickinson	WELL: Fraction SW 4	NW ¼ SV	V 1/4 See	etion Nun 18	nber '	Township Number T 13 S	er Range Number R 1 E	
1 LOCATION OF WATER WELL: Fraction SW ½ NW ½ SW ½ SW ½ SW ½ SW ½ SW ½ SW ½								
			Lo	ngitude:	W 97.	37127°	70.06	
2 WATER WELL OWNER		Elevation: RIM: 1171.45; TOC: 1170.96 Datum: WGS84						
RR#, St. Address, Box # : 1000 SW Jackson Blvd City, State, ZIP Code : Topeka KS 66612				Datum: WGS84 Data Collection Method: legal survey				
3 LOCATE WELL'S 4 D	EPTH OF COMPLE	TED WELL						
T OO AMON			N	AW6				
WITTEL AN "V" IN Den	th(s) Groundwater Enco	ountered 1			ft. 2	ft.	3 ft.	
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 SECTION BOX: Depth(s) Groundwater Encountered 1 WELL'S STATIC WATER LEVEL 23.71 ft. below land surface measured on mo/day/y							0/day/y1 4/13/14	
Pump test data: Well water was ft Est. Yield gpm: Well water was ft						hours pur	nping gpin	
	Yield gpm: LL WATER TO BE US	Well water wa	as ablicavate	n. a	litei 8 Air	conditioning 11	Injury In	
NW NE WE	omestic 3 Feed lot	SED AS. 3 I t S Oil field wat	ter supply	r suppry G	9 Dewat	tering 12 (Other (Specify below)	
	rigation 4 Industrial	7 Domestic (la	awn & gai	den) (10) Monit	oring well		
X - CIA/ - SE -								
Was	a chemical/bacteriolog	gical sample su	abmitted t	o Departr	ment?	Yes No X	; If yes, mo/day/yrs	
S Sam	ple was submitted			W	ater We	ell Disintected?	(esNo_X	
F TYDE OF CASING TISE	D. 5 Wrought Ire	on 8	Concrete	tile	CASI	NG JOINTS: Glu	led Clamped	
	$(\alpha r) = (-1, -1, -1, -1, -1, -1, -1, -1, -1, -1, $		()thor lon	acity held	OXXI)	VV E	:ICIEG	
②PVC 4 ABS	7 Fiberglass			4_		 Г	in to ft	
Blank casing diameter 2	in. to 18.45 If	, Dia	m.	To The /f	.,.11 [[a/W	thickness or gaus	ve No.	
1 Steel 3 RMP (2 PVC 4 ABS Blank casing diameter 2 Casing height below land surfac TYPE OF SCREEN OR PERF	e	eigni		105./1	** 4411	imolations of game	,	
1 Or 3 Chairless stee	1 5 Eibaralass	7) PVC	9 AR	S		11 Other (specif	(v)	
2 Brass 4 Galvanized s	teel 6 Concrete tile	8 RM (SR)	10 Ast	estos-Ce	ment	12 None used (c	ppen hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
2 Louvered shutter 4 l	Key punched 6 Wire	e wrapped	8 Saw C	at 10	0 Other	(specify)		
SCREEN-PERFORATED IN	TEDITATE: Erom	19/15 1	tt to ·	G 45	TT Pro	im i	[L. 10 IL	
GRAVEL PACK INTE	ERVALS: From	16	rt. to	33.97	n. Fro)III	ft. to ft ft. to ft	
	From		11. 10		\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	C		
6 GROUT MATERIAL: Grout Intervals From	1 Neat cement 2 Ce	ment grout	(3 Benton	ite (4	Joiner.	Erom	ft to ft	
Grout Intervals From	14 II. to 16 II.	From	It. U	,	IL.	Tiom		
						16 Other (specify		
F	5 Cess pool 8 Sewa	ge lagoon (11)	Fuel stor	age	14 Aba	ndoned water we	ll below)	
3 Watertight sewer lines	6 Seepage pit 9 Feed					well/ gas well		
Direction from well? NE		Ho	ow many i		JU'		TOTAL TAR C	
FROM TO	LITHOLOGIC LO	G	FROM	TO		PLUGGING I	NIERVALS	
	n top; Silty clay							
8 20 Fine tar 20 25 Brown	silty clay							
	coarse sand							
						- Italian - Ital	and the department of the second of the seco	
	44.00							
							TO STATE	
					Flushn	nount waiver fro	m BOW	
7 CONTRACTOR'S OR L	ANDOWNED'S CED	TIRICATION	V: This we	iter well u	vas Gra	istructed (2) reco	nstructed, or (3) plugged	
under my jurisdiction and was co	umpleted on (molday/year	4/14/	/14	and this	redord is	s true to the best of the	my knowledge and belie	
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on Importance of Stories and								
under the business name of La	rsen & Associates. Inc		by (signatu	re)		VIIW J P	amont Ruman of Water	
INSTRUCTIONS: Please fill in bla Geology Section, 1000 SW Jackson	nks or circle the correct answ St. Suite 420. Topeka Kansa	vers. Send top thi is 66612-1367. T	ree copies to Selephone 78	Kansas De 5-296-5522	partment 2. Send o	or realth and Environ WATER WELL	OWNER and retain one fo	
your records. Fee of \$5.00 for each of	constructed well. Visit us at	http://www.kdhek	ks.gov/water	well.		N. Comments		

TRITERRA LAND SERVICES

P.O. Box 546 Clearwater, Kansas 67026 Cell (316) 648-3617 Fax (620) 584-4371 Email: triterrals@yahoo.com

SURVEYING OF MONITORING WELLS COUNTRY CORNER SOLOMON, KANSAS

The site is located in Section 18, Township 13 South, Range 1 East of the Sixth Principal Meridian, Dickinson County, Kansas. The Southeast corner of Section 18 was assigned coordinates of 00.00 North and 00.00 West.

The vertical control was a NGS BM described as a disk set in the top of a concrete monument, flush with the ground, in the town park SE of the intersection of West 4th Street and Walnut Street, 3.3 feet south of the bandstand and 24 feet east of a 16 inch pine tree. Elevation: 1171.62 ft MSL. A control point was established as a chiseled 'X' on top of the curb and west end of the radius at the southeast corner of the site.

The Latitude and Longitude were recorded from a GPS unit. The site is located on the 7.5' quad map titled "Niles".

ID .	NORTH	WEST	LATITUDE	LONGITUDE	ELEVATION
SE CORNER 18-13S-1E	00.00	00.00			
CP	1431.39	4855.43	38.91833	97.37085	1171.27
MW-1 SE SW NW SW	1500.89	4868.63	38.91848	97.37089	RIM 1171.38 TOC) 2 171.19
MW-2 SE SW NW SW	1453.72	4896.15	38.91837	97.37097	RIM 1171.34 TOC 1170.98
MW-3 SE SW NW SW	1448.81	4856.41	38.91836	97.37085	RIM 1171.69 TOC 1171.25
MW-4 SE SW NW SW	1584.26	4888.86	38.91873	97.37096	RIM 1172.55 TOC 1172.19
MW-5 SE SW NW SW	1511.55	4774.49	38.91855	97.37057	RIM 1172.36 TOC 1171.83
MW-6 SW SW NW SW	1448.80	4974.56	38.91838	97.37127	RIM 1171.45 TOC 1170.96
MW-7 SE SW NW SW	1363.12	4868.69	38.91813	97.37092	RIM 1171.97 TOC 1171.52
MW-8 SE SW NW SW	1440.61	4725.73	38.91834	97.37039	RIM 1172.12 TOC 1171.74
MW-9 SE SW NW SW	1360.20	4758.78	38.91809	97.37051	RIM 1171.97 TOC 1171.74

