CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Wabaun see

Location listed as:

Section-Township-Range: 3-/35-/3E

Fraction (1/4 1/4 1/4):

NW NW NW SW

Other changes: Initial statements: Shawnee County

Changed to:

Wabaun see County

Comments:

verification method: Latifude & longitude, KG3 "LEO" conversion fool,

Wabaun see County online Parcel Search, and KG5 online

mapping fool & aerial photos. initials: DRL date: 11/18/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

		LL RECORD	Form W	WC-5	Division of Water Resources App. No.	
	CATION nty: Sha	OF WATER WELL: wnee	Fraction NW 1/4 NW 1/4 NW	1 1/4 1/4	Section Number Township No. Range Number T 13 S R 13 ZE W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here .				Latitude: .38.948528 (in decimal degrees)		
1 m	ile West				Longitude: 95.964333 (in decimal degrees)	
1 m	ile Sout	n of Dover KS			Elevation:	
2 WA	TER W	ELL OWNER: Franklin	Nelson		Datum: WGS 84, NAD 83, NAD 27 Collection Method:	
1		- I Turnam	V 43rd St		GPS unit (Make/Model:)	
	, State, Z	TD Co. L.	KS 66610-1571		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
					Est. Accuracy:	
1	ATE WE	LL A DEPTH OF	COMPLETED WELL	. 100	ft.	
	H AN "X' TION BO				ft. (2) ft. (3) ft.	
SEC	N N	WELL'S STATI	C WATER LEVEL	60 f	it. (2)	
					ft. after hours pumping gpm	
		DOT VIELT 1			ft. after hours pumping gpm	
W NW - - NE - EST TIELLY - Street Water was						
					ater supply Geothermal Injection well	
Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
S If yes, mo/day/yr sample was submitted						
Water well disinfected?						
5 TVD	E OF CA	SING USED: Steel				
		SING USED: Steel				
Casin	o diamet	er 6 5/8 in to 190	ipeu ∐ weideu ft Diameter	in	. to ft., Diameter in. to ft.	
Casing height above land surface. 18 in., Weight SCH 40. lbs./ft., Wall thickness or gauge No200 PSI						
		EEN OR PERFORATION				
☐ Steel ☐ Stainless Steel						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter						
SCREEN-PERFORATED INTERVALS: From. 170 ft. to190 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From						
(CDC	TITE N	EDDIAL DAL	From	tt. to		
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other						
What is the nearest source of possible contamination:						
Septic tank						
Sewer lines Cestrool Cestrool Sewage lagoon Fuel storage DAbandoned water well						
		ht sewer lines		Fertilizer s		
FROM		n wellLITHOLOG		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
0	14	Clay	IC LOO	TAOM	10 EITHO. LOG (WIIL) OF PLOGGING INTERVALS	
14	31	Shale				
31	36	Limestone				
36	119	Shale				
119	127	Tan Limestone				
127	180	Shale				
180	187	Sandstone			Original Returned to Sender	
187	190	Limestone			for Correction Date: 0/20/(0	
7 CON	7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged					
under m	under my jurisdiction and was completed on (mo/day/year)					
under the business name of Jesse outling Institution, by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1600 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy						