WATER WELL RECORD	Form WWC-5	Div	vision of Water	r Resources App.	No.
1 LOCATION OF WATER WELL:	Fraction		n Number	Township No	1 2 1 1
County: 5 has we	1/4 SE1/4 NW454) /4	<u> 10</u>	T 3 S	
Street/Rural Address of Well Location; i	f unknown, distance & direction	n Globa		System (GPS)	
from nearest town or intersection: If at o	owner's address, check here				(in decimal degrees)
6 00 11		Longitude: (in decimal degrees) Elevation:			
6546 SW Bayshore	INK, Hyburg	Datum		4, □ NAD 83,	
2 WATER WELL OWNER: JASON	and LISA Austi	Collec	tion Method:		
RR#, Street Address, Box #: 3333				nhio Mon D Land Survey	
City, State, Zii Code		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 180 ft. 7-180' Boles					
SECTION BOX: Deptn(s) Groundwater Encountered (1)					
WELL'S STATIC WATER LEVEL. NOft. below land surface measured on mo/day/yr					
FST VIFID gram Well water was ft after hours pumping gram					
W - NW - NE - EST. YIELDgpm. Well water wasft. after					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well					
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Irrigation Industrial Domestic-lawn & garden Monitoring well . C. Sect. Comp					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
water went distincted: [] 105 [V] 100					
5 TYPE OF CASING USED: Steel PVC DOther H.D. Palmethylene					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter					
Casing height above land surface3.4					
Steel Stainless Steel PVC Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: No -e					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.					
From					
GRAVEL PACK INTERVALS: From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Septic tank					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well		~~~~			
FROM TO LITHOLOG					LUGGING INTERVALS
0 13 So. 4 Ulan	168	120	Storle		
13 15 sandstore					
15 20 Limestone					
26 25 clale 25 28 Limestas	16/	3	7 180	1 6000	PL L L
25 28 Linestee	180		7-180	bores	1109900 1011
25 37 Stale 33 76 Santy Stark			Hil.	< Ite	Renton te
7684 Lineston			111713	301143	10011-0111-0
34 103 Soules					
103 168 SANDESTOR					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged					
under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No. 54 This Water Well Record was completed on (mo/day/year)					
under the business name of Euglas Fire View of State of S					
(white, blue, pink) to Kansas Department of Health	and Environment, Bureau of Water,	Geology Secti	on, 1000 SW Ja	ackson St., Suite 4	20, Topeka, Kansas 66612-1367.
Telephone 785-296-5524. Send one copy to WAT	TER WELL OWNER and retain one	for your reco	rds. Include <u>fe</u>	ee of \$5.00 for ea	ch <u>constructed</u> well. Visit us at
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212					