

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Shawnee</u>	<u>NE 1/4 NE 1/4 SE 1/4</u>	<u>12</u>	<u>T 13 S</u>	<u>R 15 E</u>

Distance and direction from nearest town or city street address of well if located within city?
7101 SW Topeka Blvd. (Hwy 75), Walkersville

2 WATER WELL OWNER:	RR#, St. Address, Box #	Board of Agriculture, Division of Water Resources
<u>Triple S Refining Corporation</u>	<u>211 N. Robinson Avenue</u>	Application Number:
City, State, ZIP Code	<u>Oklaheoma City OK 73102</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ft. ELEVATION:
	<u>12.61</u>	
	Depth(s) Groundwater Encountered	ft. 2
	<u>1 7.41</u>	ft. 3
	WELL'S STATIC WATER LEVEL	ft. below land surface measured on mo/day/yr
	Pump test data: Well water was	ft. after
	Est. Yield	gpm: Well water was
	WELL WATER TO BE USED AS:	
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well	
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well 12 Other (Specify below)	
	Was a chemical/bacteriological sample submitted to Department? Yes	No <u>X</u> ; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes	No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
<u>2 PVC</u>	4 ABS	7 Fiberglass		<u>Threaded</u>
Blank casing diameter	<u>2</u> in. to	ft., Dia	in. to	ft., Dia
Casing height above land surface	<u>0</u> in., weight	lbs./ft. Wall thickness or guage No. <u>Sch 40</u>		
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>7 PVC</u>	10 Asbestos-Cement		
1 Steel	3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 Other (Specify)
2 Brass	4 Galvanized Steel	6 Concrete tile	9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Guazed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot	<u>3 Mill slot</u>	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From	ft. to	ft., From	ft. to
GRAVEL PACK INTERVALS:	From	ft. to	ft., From	ft. to
	<u>Unk now N</u>			

6 GROUT MATERIAL:	3 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
Grout Intervals:	From	ft. to	ft., From	ft. to
	<u>3</u>	<u>12.61</u>		
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
1 Septic tank	4 Lateral lines	7 Pit privy	<u>11 Fuel storage</u>	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	
Direction from well?		How many feet?		

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			<u>0</u>	<u>3</u>	<u>Top Soil</u>
			<u>3</u>	<u>12.61</u>	<u>Bentonite chips</u>

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-30-07</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>759</u> This Water Well Record was completed on (mo/day/yr) <u>9-8-07</u> under the business name of <u>BAZEK Environmental, LLC</u> by (signature) <u>Andy J. Paulsen</u>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.