


1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Shawnee		NE 1/4 SE 1/4 NW 1/4		07		T 13 S		R 16 E	
Distance and direction from nearest town or city street address of well if located within city? Between hangars 680 and 681, Army National Guard Area, Forbes Field									
2 WATER WELL OWNER: KDHE/BER									
RR#, St. Address, Box # : 1000 SW Jackson, Topeka, KS 66612-1367					Board of Agriculture, Division of Water Resources				
City, State, ZIP Code :					Application Number:				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL : 15 ft. ELEVATION: 1067.23 TOC						
			Depth(s) Groundwater Encountered 1 14 ft. 2 ft. 3 ft.						
			WELL'S STATIC WATER LEVEL 8.8 ft. below land surface measured on mo/day/yr 08/05/2004						
			Pump test data: Well water was ft. after hours pumping gpm						
			Est. Yield 1 gpm: Well water was ft. after hours pumping gpm						
WELL WATER TO BE USED AS:									
1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Domestic (lawn & garden) 8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below)									
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No									
5 TYPE OF BLANK CASING USED:									
1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Welded Clamped Threaded									
Blank casing diameter 2 in. to 10 ft. Dia in. to lbs./ft. Wall thickness or gauge No. SCH 40									
Casing height above land surface 0 in., weight 15 lbs./ft.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 2 Brass 3 Stainless Steel 4 Galvanized Steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Guazed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)									
SCREEN-PERFORATED INTERVALS: From 10 ft. to 15 ft. From 9 ft. to 15 ft.									
GRAVEL PACK INTERVALS: From 9 ft. to 15 ft.									
6 GROUT MATERIAL:									
1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 6 ft. to 9 ft. From 0 ft. to 2 ft.									
What is the nearest source of possible contamination:									
1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) Unknown									
Direction from well? How many feet?									
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 12 Lean clay									
12 15 Fat clay with trace sand									
15 Limestone									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 07/20/04 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 1500 This Water Well Record was completed on (mo/day/yr) 08/13/2004 under the business name of KDHE/BER by (signature) J.R. Smith									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee \$10.00 for each constructed well.									