

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD  
KSA 82a-1201-1215

Kansas Department of Health and Environment—Division of Environment (Water well Contractors)  
Topeka, Kansas 66620

chgs

SEA

1. Location of well:	County <b>Shawnee</b>	Fraction <b>NE 1/4 NW 1/4 NW 1/4</b>	Section number <b>4</b>	Township number <b>T 13 S</b>	Range number <b>R 16 E</b>
2. Distance and direction from nearest town or city: <b>2 E of Pauline</b>		3. Owner of well: <b>Ray Hastings</b> R.R. or street: <b>RT11 Box 67</b> City, state, zip code: <b>Berryton Ks. 66409</b>			
4. Locate with "X" in section below:		Sketch map:		6. Bore hole dia. <b>10</b> in. Completion date <b>5-15-77</b> Well depth <b>26</b> ft.	
				7. Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
				8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
5. Type and color of material		From	To	9. Casing: Material <b>PITS</b> Height: <b>Above</b> or below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <b>12</b> in. RMP <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. <b>5</b> in. to <b>26</b> ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth gage No. <b>200</b>	
<b>Top Soil</b>		<b>0</b>	<b>3</b>	10. Screen: Manufacturer's name <b>Sun Flower</b> Type <b>RMP</b> Dia. <b>5 1/8"</b> Slot/gauze <b>1/8"</b> Length <b>6"</b> Set between <b>20</b> ft. and <b>26</b> ft. Gravel pack? <b>yes</b> Size range of material <b>1/8-1/4"</b>	
<b>Clay yellow</b>		<b>3</b>	<b>13</b>	11. Static water level: <input type="checkbox"/> mo./day/yr. <b>9</b> ft. below land surface Date <b>5-15-77</b>	
<b>Sandy Clay</b>		<b>13</b>	<b>20</b>	12. Pumping level below land surfaces: ____ ft. after ____ hrs. pumping ____ g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield <b>5 gpm</b> g.p.m.	
<b>Fine sand</b>		<b>20</b>	<b>21</b>	13. Water sample submitted: ____ mo./day/yr. <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date ____	
<b>Lime</b>		<b>21</b>	<b>26</b>	14. Well head completion: <input type="checkbox"/> Pitless adapter <b>12"</b> Inches above grade	
				15. Well grouted? <b>yes</b> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From <b>0</b> ft. to <b>14</b> ft.	
				16. Nearest source of possible contamination: ft. <b>200</b> Direction <b>East</b> Type <b>Legroom</b> Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
				17. Pump: <input checked="" type="checkbox"/> Not installed Manufacturer's name _____ HP _____ Volts _____ Length of drop pipe _____ ft. capacity _____ g.p.m. Type: <input type="checkbox"/> Submersible <input type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation: <b>27</b> <b>1037</b> Topography: <b>Rm</b> <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks: <b>Owner to install slab.</b>		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>Robison Drilling 316</b> Business name <b>Perry Ks</b> License No. _____ Address _____ Signed <b>Jack Robison</b> Date <b>5-15-77</b> Authorized representative	

T  
R  
W  
E  
S  
E  
C  
13  
16  
4  
NW  
1/4  
1/4  
1/4