

1 LOCATION OF WATER WELL:		Fraction		TOWN		Section Number		Township Number		Range Number	
County: Shawnee		NE 1/4 SW 1/4 SW 1/4		T 13 S		31		13		R 16	
Distance and direction from nearest town or city street address of well if located within city? 150' (N10°W) from fence corner picnic area											
2 WATER WELL OWNER: Kansas Air National Guard											
RR#, St. Address, Box #: Forbes Field ANG											
City, State, ZIP Code: Topeka, Kansas											
Board of Agriculture, Division of Water Resources											
Application Number:											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				4 DEPTH OF COMPLETED WELL: 14.5 ft. ELEVATION: 1028.5							
				Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
				WELL'S STATIC WATER LEVEL 3.28 ft. below land surface measured on mo/day/yr 7/7/88							
				Pump test data: Well water was ft. after hours pumping gpm							
				Est. Yield gpm: Well water was ft. after hours pumping gpm							
				Bore Hole Diameter 8 in. to 14.5 ft. and in. to							
WELL WATER TO BE USED AS:											
1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well											
2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
7 Lawn and garden only 10 Observation well											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted											
Water Well Disinfected? Yes No											
5 TYPE OF BLANK CASING USED:											
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped											
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded											
Blank casing diameter 2 in. to 4 ft. Dia. in. to ft. Dia. in. to ft. Dia. in. to ft.											
Casing height above land surface 2.5 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement											
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)											
12 None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)											
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes											
7 Torch cut 10 Other (specify)											
SCREEN-PERFORATED INTERVALS: From 4 ft. to 14 ft. From ft. to ft.											
GRAVEL PACK INTERVALS: From 3 ft. to 14.5 ft. From ft. to ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other											
Grout Intervals: From 0 ft. to 3 (Native Mat) 3 ft. to 14.5 cement grout ft. to ft.											
What is the nearest source of possible contamination:											
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well											
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)											
13 Insecticide storage											
Direction from well? West/North How many feet? 2000' ±											
FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG											
0 3 Native Material											
3 14.5 Cement grout											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/9/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 102K This Water Well Record was completed on (mo/day/yr) 5/9/90 under the business name of Layne-Western Co., Inc. by (signature) Paul W. Layne											
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.											