


1 LOCATION OF WATER WELL: County: Shawnee		Fraction NW 1/4 NE 1/4 SW 1/4		Section Number 31		Township Number T 13 S		Range Number R 16		E/W	
Distance and direction from nearest town or city street address of well if located within city? Site 9											
2 WATER WELL OWNER: Kansas Air National Guard RR#, St. Address, Box #: Forbes Field ANG City, State, ZIP Code: Topeka, Kansas Board of Agriculture, Division of Water Resources Application Number:											
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:				4 DEPTH OF COMPLETED WELL: 15.5 ft. ELEVATION: 1041.2							
				Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
				WELL'S STATIC WATER LEVEL 9.49 ft. below land surface measured on mo/day/yr 7/8/88							
				Pump test data: Well water was ft. after hours pumping gpm							
				Est. Yield gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter 8 in. to 15.5 ft., and in. to				WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No X				If yes, mo/day/yr sample was submitted							
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS				5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass				CASING JOINTS: Glued Clamped Welded Threaded X			
Blank casing diameter 2 in. to 10 ft., Dia				Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. Sch. 40							
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)				SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 10 ft. to 15 ft.				GRAVEL PACK INTERVALS: From 8.5 ft. to 15.5 ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other				Grout Intervals: From 3 ft. to 15.5 ft.							
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage				Direction from well? West/North How many feet? 2000'±							
FROM TO LITHOLOGIC LOG				FROM TO PLUGGING INTERVALS							
0 3 Native material											
3 15.5 Cement grout											
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/9/90 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 102K This Water Well Record was completed on (mo/day/yr) 5/5/99 under the business name of Layne-Western Co., Inc. by (signature)											