WATER	WELL I	RECORD	Fori	m WWC	-5 I				urces; App		
	-	WATER WELL: ouglas	NATES	SE ¼	NW 1/4	1	20		ጥ	13 S	Range Number R 18 E
Distance ar	nd direction	from nearest town	n or city stre	et address	of well if	Glo	bal Posit titude:	tioning NA	System	(decimal deg	grees, min. of 4 digits)
located wit	hin city? 11	88 E 300 Rd., Ber	rryton KS				ngitude:	NA			
2WATER	Ele	Elevation: NA									
RR# St	Address I	VNER: Gibson Box # : 1188 I	E 300 Rd.			Da	ıtum:	NA			
City, St	ate, ZIP Co	de : Berryt	on KS							legal survey	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 180 ft.											
LOCA	TON									C 2	ا ہے
WITH	AN "X" IN	Depth(s) Grou	ındwater En	countered	1	NA		ft. 2		n. 3	ft.
SECTI	ON BOX:	TR 2'LITWI	TIC WATE	ΞR LEVEL	. NA	ft. b	elow lan	id surta	ice measi	area on mo/	uay/yi
	N	Pun	np test data:	Well wat	ter was		tt. a	atter		nours pum	oing gpm
	!	Est. Yield	gpm:	Well wat	ter was		It. 8	atter		nours pum	oing gpm
NW.	—— NE —	WELL WATI	ER TO BE U	JSED AS:	5 Public	wate	r supply	8 A1	r condiu	$\frac{1}{2}$	Injection well
w - 		E Domestic	3 Feed lot	6 Oil fiel	d water si	upply	dom) 1	9 Dew	atering	اکر ک تواا	her (Specify below)
		2 Irrigation	4 Industrial	7 Domes	tic (lawn	æ gai	den) i	U IVIOII	normg w	/CII	Geothermal
-sw sE vy 1 1/1 4 1/2 1/											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr. Sample was submitted Water Well Disinfected? Yes No X											
	S	Sample was s	ubmitted				VV	aici v	TO TOT	TOOLOG!	1 (1)
5 TYPE	OF CASIN	G USED:	Wrought !	Iron	8 Con	crete	tile	CAS	ING JOI	NTS: Glue	d Clamped
1 Stee	TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement Other (specify below) Welded Fusion										
2 PV	1 Steel 3 RMP (SR) 6 Asbestos-Cement 2 PVC 4 ABS 7 Fiberglass Polyethylene Threaded Blank casing diameter 3/4 in. to 180 ft., Dia in. to ft., Dia in. The in.										
Blank casi	ng diameter	3/4 in. to	180	ft., Dia		in.	to	it.	, D1a 		n. to 140 DCT
Casing height below land surface 4 ft., Weight lbs./ft. Wall thickness or gauge No. 160 PSI											
Blank casing diameter 3/4 in. to 180 ft., Dia in. to 11., Dia in. to 12. The Casing height below land surface 4 ft., Weight 18./ft. Wall thickness or gauge No. 160 PSI TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Stool 3 Stool as steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
SCREEN OR PERFORATION OPENINGS ARE. 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft.											
SCREEN-	PERFORA'	FED INTERVAL									
From tt. to								n. F	rom		to ft
SCREEN-PERFORATED INTERVALS: From ft. to GRAVEL PACK INTERVALS: From ft. to								. n. r	rom	1t	to ft
			From		II. IO			11. I'	LOIII	10	
6 GROU	T MATER	IAL: 1 Neat co	ement 2 C	Cement gro	ut (3) 8	enton	ite 4	4 Othe	r		ft. to ft.
Grout Inter	rvals Fr	om 4 ft. 1	to 180	ft. From		ft. t	0	ft	. From		n. to n.
What is the	e nearest so	urce of possible c	Omammanc	111.							16 Other (specify
	ic tank		lines 7 Pit		10 Liv				secticide	Storage water well	
	er lines	5 Cess po		vage lagoo	n 11 Fue				l well/ ga		bolow)
		er lines 6 Seepage	e pit 9 ree	eayara	How n			15 01	i won ge	15 WOII	
Direction 1	from well?								**************************************	CODIC DI	TTDX/ATC
FROM	TO		OLOGIC L	OG	FR	OM	ТО	ļ	PLU	GGING IN	TERVALS
0		Topsoil									
10 30		Red clay Limestone and s	hale miv					10-18	0 boring	s plugged	
30	100	Limestone and s	naic nux					1		<u> </u>	
						4	180	Bente	onite		
								-			
								 			
								-	· · · · · · · · · · · · · · · · · · ·		
# CONTRI	DACTOD!	CODIANDOW	NED'S CE	RTIFICA	TION: 7	his w	ater well	was (1)	construct	ed. 12) recons	structed, or (3) plugged
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1/4/13 and this record is true to the best of my knowledge and belief											
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on ward dark year.											
under the b	usiness name	of Larsen & A	ssociates, I	nc.	by (s	ignatu	re)		1		<u> </u>
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Neath, and Environment, Bureau of Water,											
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Neath, and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to TER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											
your records.	. T.CC OT \$2.00	tot cacit constitucted	TOTAL TEST US	*************************						- 1	