WATER WELL REC	CORD Form WWC-5	Division of Water Resources App. No.
TOCATION OF WA	TED-WELL - Frontion	Section Number Township No Range Number
County: Douglas	SE' SE 1 SW 1 SW 1	1 13 S R [9 ⊠E □W
	of Well Location; if unknown, distance & direction intersection: If at owner's address, check here .	Global Positioning System (GPS) information:  Latitude: 35.5.5.1. (in decimal degrees)
I		Longitude: 0.5-1.5-2.5 (in decimal degrees)
1714 W. 73	srd St. Lawrence KS	Elevation: R.M. 867.33 Toc: 867.01
2 WATED WELL ON	WNER: Kwik Shop #773	Datum: WGS 84, NAD 83, NAD 27 NAVD88
RR# Street Address	Box #: 734 & 4th Ave	Collection Method:  GPS unit (Make/Model:)
City, State, ZIP Code		☐ Digital Map/Photo, ☐ Topographic Map, ☒ Land Survey
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	: Hutchinson KS 67501	Est. Accuracy:
3 LOCATE WELL	A DEPTH OF COMPLETED WELL	2 MWZ
WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	A (2) A (3) A
N N	WELL'S STATIC WATER LEVEL 1. 459 ft.	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr. 9/9/11.2
	Pump test data: Well water was	ft. after hours pumping gpm
NWNE	EST. YIELDgpm. Well water was	ft. after hours pumping gpm
W E		
		er supply Geothermal Injection well
SW SE		er supply Dewatering Other (Specify below)
	Was a chemical/bacteriological sample submitted to	vn & garden Monitoring well
S	If yes, mo/day/yr sample was submitted	Department:
1 mile	Water well disinfected?  Yes No	
5 TYPE OF CASING U	USED: Steel PVC Other	
CASING JOINTS: ☐ Glued ☐ Clamped ☐ Welded ☑ Threaded		
Casing diameter		
Casing height above land surface		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)		
SCREEN OR PERFORATION OPENINGS ARE:		
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 3. ft. to 13. ft., From ft. to ft.		
SCREEN-PERFORATED INTERVALS: From		
GRAVEL PACK INTERVALS: From 2 ft. to 13 ft., From ft. to ft.		
From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete: O-154		
Grout Intervals: From		
What is the nearest source of possible contamination:		
Septic tank	Lateral lines Pit privy Livestock p	
Sewer lines Watertight sewer l	☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer st	
Direction from well		from well ~ 60F+
FROM TO	LITHOLOGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
	phalt	
0.3 13 Sof	+ brown silty Clay	
	, ,	
,		
		00001282
7 CONTRACTORS OF	DIANDOWNED'S CEDITERCATION. This work	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year)		
Kansas Water Well Contractor's License No7.57 This Water Well Record was completed on (mo/day/yag)5		
under the business name	of Larsen & Associates, Inc.	by (signature)
INSTRUCTIONS: Use typew	vriter or ball point pen. PLEASE PRESS FIRMLY and PRINT cle	early. Please fill in blanks and check the correct answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		