WATE	R WEL	L RECORD	Form W	WC-5	Division of Wate	er Resources App. No	o	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
			SE 1/4 SW 1/4 SW		1	T 13 S		
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: .38.94317. (in decimal degrees) Longitude: .95.25797. (in decimal degrees)			
1802 W 23rd Street.					Elevation: 856.16			
Lawrence, KS					Datum: ■ WGS 84, □ NAD 83, □ NAD 27			
2 WATER WELL OWNER: The Pantry Inc					Collection Method:			
RR#, Street Address, Box #: 305 Greason Drive City, State, ZIP Code : Gary NC 27511					GPS unit (Make/Model:)			
City, State, ZIP Code : Gary, NC 27511					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL								
	H AN "X"	IN 4 DEPTH OF	COMPLETED WELI	ft.				
SECTION BOX: N Depth(s) Groundwater Encountered (1).2							3) ft.	
WELL'S STATIC WATER LEVEL							ay/yriu/, 15X 1.5	
							ning onm	
NWNE EST. YIELDgpm. Well water wasft. after							ft.	
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
sw	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Onle field water supply Dewatering Other (Specify below)							
ایر	Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☒ Monitoring well . M. W							
Was a chemical/bacteriological sample submitted to Department? ✓ Yes ☐ No								
S If yes, mo/day/yr sample was submitted 10/15/13								
water went distributed? Tes No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)								
SCREEN-PERFORATED INTERVALS: From5								
From								
GRAVEL PACK INTERVALS: From ft. to ft. from ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Full Full storage Abandoned water well Watertight sewer lines Seepage pit Feedvard Fertilizer storage Oil well/gas well Lust Site								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Lust Site Direction from well Distance from well								
FROM	ТО	LITHOLOG		FROM			JGGING INTERVALS	
0	1	Concrete				,		
1	5	Fill Sand						
5	11	Clay, Silty, Black / CH						
11	15	Clay, Silty, Brown / Ch	l					
	1							
	-							
	 							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .9/10/2013 and this record is true to the best of my/knowledge and belief.								
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (morday year) 10/31/2013 under the business name of Coranco Great Plains, Inc. by (signature)								
under th	ne busines	s name of Coranco Gr	eat Plains, Inc.		by (signature)	N. W. JAX		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html