WATER WELL RECORD		Form W	WC-5	Di	vision of Wate	r Resources App. N	0	
1 LOCATIO County: D	ON OF WATER WELL: OUGLAS	Fraction	1/4 NEV	Secti	on Number	Township No.	Range Number R	
Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here .					Latitude: .39,0424 (in decimal degrees)			
2087 E. 1400 Road, Lawrence, KS 66044					Longitude: -95.2423 (in decimal degrees) Elevation:			
2 WATER	WELL OWNED					4, 🔲 NAD 83, 🔲	NAD 27	
1		e & Barbara Hulshof			ction Method:	27.11	,	
RR#, Street Address, Box #: 506 E. 23rd Street City, State, ZIP Code : Lawrence KS 66046				ㅣ 片;	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State	Lawre	nce, KS 66046		Est. A	Accuracy:	3 m.	5-15 m, >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 200 ft. 5- 265 Bord.								
SECTION	ROY: Depth(s) Group	OX: Depth(s) Groundwater Encountered (1) NONE ft. (2) ft. (3) ft.						
N WELL'S STATIC WATER LEVEL ft below land surface measured on mo/day/yr								
Pump test data: Well water wasft. after hours pumping gpm								
EST. YIELD. 0gpm. Well water wasft. after								
W Bore Hole Diameter 5.5/8 in to ft. and in to ft.								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
cw cp Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No								
S If yes, mo/day/yr sample was submitted								
mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other H.D. POLYETHYLENE								
CASING JOINTS: Glued Clamped W Welded Threaded								
Casing diameter .3/4 in. to .200 ft., Diameter in. to								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
							to ft.	
GRA	AVEL PACK INTERVALS							
From								
	1ATERIAL: Neat cer	ment Cement grout	Bento	nite [_] Other	т.	0	
Grout Interva		to .3 ft., From	1	nt. to	n.,	From	It. toIt.	
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewe			Fuel stora					
			Fertilizer :		Oil well/ga			
	from well		. Distance	_	_		<u></u>	
FROM TO		OGIC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 2	SOIL/CLAY							
2 136	SHALE				<u> </u>			
136 140								
140 152					F 600: = =	5E6 E1116 ===		
152 155		·	200	3		RES PLUGGED		
155 160					HIGH SOL	ID BENTONITE		
160 189			 		ļ			
189 200	SHALE	,	ļļ					
T CONTRIB COTORIS OR I ANDONANDRIS CERTIFICATION TO THE TAX TO THE								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\big \) constructed, \(\big \) reconstructed, or \(\big \) plugged								
under my jurisdiction and was completed on (mo/day/year) .03/31/2015 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No561								
under the business name of EVANS ENERGY DEVELOPMENT, INC. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html								