

1 LOCATION OF WATER WELL: County: Dickinson Fraction: NE 1/4 NN 1/4 SE 1/4 Section Number: 17 Township Number: T 13 S Range Number: R 2 EW

Distance and direction from nearest town or city street address of well if located within city? 700 N. Washington Abilene Ks MW-54

2 WATER WELL OWNER: V*B Interim, Inc. RR#, St. Address, Box #: 700 N. Washington City, State, ZIP Code: Abilene Ks 67410 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: [Diagram showing a 36-acre section with NW, NE, SW, SE quadrants and an 'X' in the SE quadrant. A 1-mile scale bar is provided.]

4 DEPTH OF COMPLETED WELL: 48 ft. ELEVATION: ... ft.

Depth(s) Groundwater Encountered: 1. ... ft. 2. ... ft. 3. ... ft.

WELL'S STATIC WATER LEVEL: 13.8 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ... ft. after ... hours pumping ... gpm

Est. Yield: ... gpm: Well water was ... ft. after ... hours pumping ... gpm

Bore Hole Diameter: 10 in. to 39 ft., and 6 in. to 48 ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) CASING JOINTS: Glued Clamped Welded Threaded

Blank casing diameter: 2 in. to 42 ft., Dia. ... in. to ... ft., Dia. ... in. to ... ft.

Casing height above land surface: ... in., weight ... lbs./ft. Wall thickness or gauge No. ...

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass 3 Stainless steel 4 Galvanized steel 5 Fiberglass 6 Concrete tile 7 PVC 8 RMP (SR) 9 ABS 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Mill slot 4 Key punched 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 Saw cut 9 Drilled holes 10 Other (specify) 11 None (open hole)

SCREEN-PERFORATED INTERVALS: From 42 ft. to 47 ft. From ... ft. to ... ft.

GRAVEL PACK INTERVALS: From 41.5 ft. to 48 ft. From ... ft. to ... ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 41.5 ft. From ... ft. to ... ft. From ... ft. to ... ft.

What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) plant facility

Direction from well? W How many feet? 1000

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	16	SILTY CLAY			
16	39	FINE SILTY SAND			
39	TD	LIME STONE			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/13/92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 102 This Water Well Record was completed on (mo/day/yr) 6/11/92 under the business name of Layne Western Co. Wichita by signature B. Meier