


1 LOCATION OF WATER WELL: Fraction ~~NE~~ ~~SW~~ Section Number 35 Township Number T 13 S Range Number R 2 **E**
 County: Dickinson Distance and direction from nearest town or city street address of well if located within city?

3 miles on Hwy 15 South of Abilene, Kansas & 2 East & 1/4 North

2 WATER WELL OWNER: Bill Streda RR#, St. Address, Box #: Rt 2 City, State, ZIP Code: Abilene, Kansas 67410 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL: 65 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 55 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL: 38 ft. below land surface measured on mo/day/yr 10 // 28 // 87 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 25+ gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: 9 in. to 65 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No *; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes * No

5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) 2 PVC 4 ABS 7 Fiberglass CASING JOINTS: Glued * Clamped Welded Threaded Blank casing diameter 5 in. to 65 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 16 in., weight 160 lbs./ft. Wall thickness or gauge No. 214 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 38 ft. to 65 ft., From ft. to ft. GRAVEL PACK INTERVALS: From 24 ft. to 65 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? NORTHEAST How many feet? 195

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	1	DARK TOP SOIL	54	58	DARK LIMESTONE
1	8	BROWN CLAY	58	61	LITE GRAY SHALE
8	10	LITE COLOR CLAY SHALE	61	65	BLUE SHALE
10	14	LIMESTONE			
14	19	LITE COLOR CLAY			
19	20	RED CLAY			
20	31	LITECOLOR CLAY			
31	37	RED CLAY & SHALE			
37	40	LITE COLOR SHALE			
40	42 1/2	LIMESTONE			
42 1/2	43	LITE COLOR SHALE			
43	44	LIMESTONE			
44	50	LITE COLOR SHALE			
50	56	LIMESTONE			
56	57	LITE COLOR SHALE			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10 // 28 // 87 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 397 This Water Well Record was completed on (mo/day/yr) 12 // 2 // 87 under the business name of CENTRAL KANSAS DRILLING by (signature) Harold D. Martens

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.

0610000078-50

OFFICE USE ONLY T R EW SEC. 1/4 1/4 1/4 1/4