		RECORD		WWC-5	Divisi	ion of Wa	ater Resources: A	App. No.		
1 LOCA' County:	TION OF Di	WATER WELL: ckinson	Fraction SW ¼	NW ½	SE ¼	ection Nu 16	umber Town	nship Number 13 S	Range Number R 2 E	
County: Dickinson SW 14 NW 14 SE 14 16 T 13 S R 2 E Distance and direction from nearest town or city street address of well if located within city? 425 N. Buckeye County: Dickinson SW 14 NW 14 SE 14										
Abilene, KS Landide: W 97.21342°										
2 WATER WELL OWNER: John W. Dunlap						Longitude: W 97.21342° Elevation: Pin: 1152.27 TOC: 1151.94				
RR#, St. Address, Box # : 425 N. Buckeye						Datum: above mean sea level				
City, St	ate. ZIP Co	ode : Abilen	e, KS			ata Colle	ection Method	: legal survey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 24 ft.										
LOCA'						MW2			_	
	AN "X" I		ndwater Enco	ountered l			ft. 2	ft. 3	ft.	
SECTI	ON BOX:	WELL'S STA	ΓΙC WATER	RLEVEL	15.40 ft.	below la	nd surface me	asured on mo/d	ay/yr 2/1/08	
N Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm										
Est. Yield gpm: Well water was ft. after hours pumping gpm										
NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
U Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									
- sw	SE -	,,, , ,						31 W	16 /1 /	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
S Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Stee	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
(2)PV	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 9 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.33 ft., Weight Ibs./ft. Wall thickness or gauge No.									
Blank casing diameter 2 in. to 9 ft., Dia in. to ft., Dia in. to ft.										
Casing height below land surface 0.33 ft., Weight , lbs./ft. Wall thickness or gauge No.										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 9 ft. to 24 ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 8 ft. to 24 ft. From ft. to ft. From ft. From ft. To ft. From ft. From ft. To ft. From ft. To ft. From										
SCREEN-PERFORATED INTERVALS: From 9 ft. to 24 ft. From ft. to ft.										
			From		ft. to		ft. From	ft. t	o ft.	
GRA	AVEL PAC	CK INTERVALS:	From	8	ft. to	24	ft. From	ft. t	o ft.	
			From		ft. to		ft. From	ft. t	o ft.	
6 GROU	T MATE	RIAL: 1 Neat cer	nent 2 Cer	nent grout	(3) Benton	ite (4)Other conci	rete, 0-2		
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-2 Grout Intervals From 2 ft. to 8 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
	er lines	5 Cess poo		ge lagoon (1			14 Abandone		below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
Direction f	from well?	West-southwest			How many t	feet? ~3	5 feet			
FROM	TO	LITHO	LOGIC LOC	3	FROM	TO		LITHOLOGIC	LOG	
0	Ī	Concrete			15	20		ay, brown, fine		
3	5	Clay, dark olive-gr	ay, very stiff	, moist,				rly sorted, mois		
		petroleum odor					petroleum od			
8	10	Clayey silt, olive-b	rown, moist,		20	24		ay, brown, fine		
12	1.5	petroleum odor	<u> </u>	1.				rly sorted, mois	t,	
13	15	Sand with clay, bro		nedium	24		petroleum od			
		grained, poorly sor petroleum odor	tea, moist,		24		Auger retusa	l on limestone		
		penoleum odor					Flushmount	waiver from I	BOW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on the best of my knowledge and belief. This Water Well Record was completed on the day/year) 2/19/08										
Kansas Wat	ter Well Cor	tractor's License No.	757	This Wa			completed on the	no/day/year)2	:/19/08	
1		of Larsen & Ass			by (signatu		1			
Geology Sec	IONS: Please	fill in blanks or circle t	Toneka Kansas	ers. Send top t	hree copies to	Kansas De	epartment of Heal	th and Environmer	it. Bureau of Water, /NER and retain one for	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to VATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										