		RECORD		WWC-5	Divis	ion of Wa	ater Reso	urces: App. No.		
1 LOCA	TION OF	WATER WELL:	Fraction		S	ection N	umber	Township Number	Range Number	
County: Dickinson SW 34 NW 54 SE 54 16 T 13 S R 2 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)										
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? 425 N. Buckeye Latitude: N 38.91925°										
Abilana MC										
2 WATER WELL OWNER: John W. Dunlap						Elevation: Pin: 1153.23 TOC: 1153.02				
RR#, St. Address, Box # : 425 N. Buckeye						Datum: above mean sea level				
City, State, ZIP Code : Abilene, KS							Data Collection Method: legal survey			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 24.5 ft.										
LOCA		N D = 41 (-) C	1	. 11		MW6		0 2		
1	AN "X" I	N Depth(s) Groun	idwater Enco	ountered I			π. 2	ft. 3	ft.	
SECT	ION BOX:	WELL'S STA	IIC WATER	LEVEL	16.55 ft.	below la	nd surfa	ce measured on mo/o	Jay/yr 2/1/08	
N Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm										
Est. Yield gpm: Well water was ft. after hours pumping gpm										
NW—NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
W I Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									
Fsw										
<u> </u>	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
S Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE	OF CASI	NG USED: 5	Wrought Iro	on 8	Concrete	tile	CASI	ING JOINTS: Glued	Clamped	
1 Ste	el	3 RMP (SR) 6	Asbestos-Co	ement 9	Other (sp	ecify be	elow)	Welde	ed	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 9.5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.21 ft., Weight lbs./ft. Wall thickness or gauge No.										
Blank casing diameter 2 in. to 9.5 ft., Dia in. to ft., Dia in. to ft.										
Casing height below land surface 0.21 ft., Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
ISCREEN OR FERFORATION OPENINGS ARE:										
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes . 11 None (open hole)										
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 9.5 ft. to 24.5 ft. From ft. to ft.										
SCREEN-	PERFORA	TED INTERVALS	From	9.5	ft. to	24.5	_ ft. Fro	om ft. 1	to ft.	
			From		ft. to		ft. Fro	om ft. 1	to ft.	
GR	From ft. to ft. From ft. From ft. To ft. From ft.									
			From		ft. to		. ft. Fro	om ft.	to ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Sentonite 4 Other concrete, 0-2 ft.										
Grout Intervals From 2 ft. to 8,5 ft. From ft. to ft. From ft. to ft.										
What is the nearest source of possible contamination:										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify										
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard Direction from well? West 12 Fertilizer storage 15 Oil well/ gas well How many feet? ~100 ft										
Direction	from well?	West			low many	teet? _~1	00 ft			
FROM	TO	LITHO	LOGIC LOC	ì	FROM	TO		LITHOLOGIC		
0	11	Asphalt			17	19		ine to medium grain		
3	5	Silty clay, gray-bro			20	24.5		sorted, moist, no odo		
7	9	Sand, fine to mediu poorly sorted, mois		rown,	20	24.5		ine to medium grain		
11	13	Sand, fine to mediu		rown	24.5			sorted, moist, no odo refusal on limestone)[
11	1.5	poorly sorted, mois		TOWII,	24.3		Auger	icidsai on innestone		
13	15	Sand, fine to mediu		rown,	<u> </u>		<u> </u>			
		poorly sorted, mois		-,						
							Flushn	nount waiver from	BOW	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. THE STATE OF										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed. or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/1/08 and this record is true to the best of my knowledge and belief.										
Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 2/19/08										
		e of Larsen & Asso		tills wat	by (signatu		completed	u on (morday/year)	<u> </u>	
i				rs Send ton th			enartment	of Health and Environme	nt Bureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for										
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										