		Form WWC-5				urces: App. No.	
1 LOCATION OF WATER WELL: County Dickinson		Fraction SW 4 NW 4	SE 1/4 S	ection N 16	umber	Township Number T 13 S	Range Number
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number County Dickinson SW 1/4 NW 1/4 SE 1/4 16 T 13 S R 2 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)							
located within city? 425 N. Buckeye Abilene, KS Latitude: N 38.91897° Longitude: W 97.21364°							
2 WATER WELL OWNER: John W. Dunlap Elevation: Pin: 1153.58 TOC: 1153.09							
						mean sea level	,
City, State, ZIP		Data Collection Method: legal survey					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 24.5 ft.							
LOCATON MW7							
WITH AN "X"	IN Donth(a) Group	advertor Encountered 1		141 44 /	e o	ft 2	4
1	Depui(s) Groun	idwater Encountered i			¦l. ∠	11. 3	II.
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 16.46 ft. below land surface measured on mo/day/yr 2/1/08							
N Pump test data: Well water was ft. after hours pumping gpm							
Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
1 ! 1 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10)Monitoring well							
sw K sE -							
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs							
Sample was submitted Water Well Disinfected? Ves No V							
S Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped							
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel	3 RMP (SR) 6	Asbestos-Cement	9 Other (sp	pecify be	elow)	Welde	:d]
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X							
Blank casing diameter 2 in. to 9.5 ft Dia in. to ft. Dia in. to ft.							
Casing height below land surface 0.49 ft. Weight lbs /ft Wall thickness or gauge No							
TYPE OF SCREEN OR PERFORATION MATERIAL.							
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 9.5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.49 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot (3) Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
2 Louvered shutter *Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 9.5 ft. to 24.5 ft. From ft. to ft.							
From ft. to ft. From ft. to ft							
GRAVEL PACK INTERVALS: From 8.5 ft. to 24.5 ft. From ft. to							o ft.
		From	ft. to		ft. Fro	om ft. t	o ft.
From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-2 ft							
Grout Intervals From 2 ft. to 8.5 ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
2 Sewer lines	5 Cess poo					ndoned water well	below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well							
Direction from well? North How many feet? ~100 ft							
FROM TO	LITHO	LOGIC LOG	FROM	TO		LITHOLOGIC	LOG
0 1	Asphalt	2001000	19	21	Sand fi	ine to medium graine	
3 5	Silty clay, dark gra	v-brown, moist	17		no odo		a, oromi, mot,
	no odor	, 0.0 mi, moist,	21	25		ine to medium graine	d. brown, wet.
6 8	Sandy-clay, fine to	medium grained			no odoi		-, 010 mi, mon
	brown, moist, no or				1.0 0001		
8 10	Sand, fine to mediu		<u> </u>				**
	moist, no odor				1		
13 15	Sand, fine to mediu	ım grained, brown			+		
	moist, no odor	5			Flushn	nount waiver from E	BOW
		 	1				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 2/1/08 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 2/19/08							
under the business na	me of Larsen & Ass	ociates, Inc.	by (signatu			A	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water.							
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water. Geology Section. 1000 SW Jackson St., Suite 420. Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to Water Well OWNER and retain one for							
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.							