WATER W	ELL RECORD	Form WWC-5	Division of Water Resources App. No.	
	ON OF WATER WELL:	Fraction	Section Number   Township No.   Range Number	
		1/4 SW 1/4 SW 1/4 SW 1/4		
			Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here <b>2</b> . Latitude:				
from neare	est town or intersection: If at o	owner's address, check here .		
			Longitude: (in decimal degrees)	
			Elevation:	
A WATER	WELL OWNER.		<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27	
	WELL OWNER: Duane		Collection Method:	
		est First	GPS unit (Make/Model:)	
City, State	e, ZIP Code : Abilene.	, KS 67410	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey	
			Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL				
WITH AN				
SECTION	BOX: Depth(s) Ground	iwater Encountered _(1)	ft. (2) ft. (3) ft.	
N	WELL'S STAT	IC WATER LEVEL28f	t. below land surface measured on mo/day/yr. 4/23/09	
<del> </del>	Pumn	test data: Well water was	ft. after hours pumping gpm	
1   1	l nom vari p 2	0 gpm Well water was	ft. after hours pumping gpm	
NW	NE		.ft., andft.	
w	E Bore Hole Diam	TO DE LICED AC. El Dublic our	ater supply Geothermal Injection well	
		TO BE USED AS:   Public wa	ter supply Geotherman Injection wen	
sw	Domestic		ter supply Dewatering Other (Specify below)	
Irrigation     Industrial     Domestic-lawn & garden     Monitoring well				
	Was a chemical	bacteriological sample submitted t	to Department? 🔲 Yes 🗹 No	
s	If ves, mo/	day/yr sample was submitted		
mile  Water well disinfected? ☑ Yes ☐ No				
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: M Glued Clamped Welded Threaded				
Casing diameter in. to				
Casing height above land surface				
TYPE OF SCREEN OR PERFORATION MATERIAL:				
Steel Stainless Steel PVC Other (Specify)				
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)  Louvered shutter  Key punched  Wire wrapped  Saw cut  Other (specify)				
CCDEEN DE	PROPATED INTERVALS.	Enome 34 A to AA	Dulier (specify)	
SCREEN-PERFORATED INTERVALS: From34				
From				
GRAVEL PACK INTERVALS: From				
From				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other				
Grout Intervals: From				
What is the ne	earest source of possible conta	amination:	,	
☐ Senti	c tank	es Pit privy Divestock	nens	
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well				
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well				
-	from well		e from well	
FROM TO			TO LITHO. LOG (cont.) or PLUGGING INTERVALS	
		IC LOU FROM	10 LITTIO. LOG (COIII.) OI FLUGGING INTERVALS	
0 2	Topsoil			
2 10	Clay, Tan			
10 37	Shale, Red and gray			
37 38	Limestone			
38 39	Cavity			
39 44				
39 44	Shale, Gray			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief.				
under my jurisdiction and was completed on (mo/day/year)				
Kansas Water	Kansas Water Well Contractor's License No. 138 This Water Well Record was completed on (mo/day/year)4/27/09			
under the business name of Peterson Irrigation, Inc. by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies				
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.				
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdheks.gov/waterwell/index.html.				
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy				