WATER WELL RECORD			Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:			Fraction			on Number		Range Number	
County: Dickenson			SE1/4 SE1/4 SE 1/4		2		T 13 S	R 2 XXE □W	
		Address of Well Location;				g System (GPS) ir			
from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
3 miles East & 1 mile north of Abilene, KS						Longitude: (in decimal degrees) Elevation:			
			4, □ NAD 83, □	 1 NAD 27					
2 WATER WELL OWNER: Cowboy Church						Collection Method:			
RR#, Street Address, Box #: 409 NW 7th St. (co Mike Crane)						GPS unit (Make/Model:)			
City,	, State, Z	IP Code : Abiler	ne, KS 67410		Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m									
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL									
1	SECTION BOX: Depth(s) Groundwater Encountered (1)								
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr10/5/10								
Pump test data: Well water wasft. after hours pumping								ping gpm	
NV	v   N	EST. YIELD.20	0-25gpm. Well water	was	ft.	after	hours pum	ping gpm	
W         E   Bore Hole Diameter									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  SW SE Nomestic Feedlot Oil field water supply Dewatering Other (Specify be								njection well	
SW -   SE -     Maintail   Domestic   Feedlot   Oli field water supply   Dewatering   Other (Specify below)									
		Was a chemical	bacteriological sample	submitted t	o Depart	ment?	Yes <b>XX</b> No		
Was a chemical/bacteriological sample submitted to Department? Yes XX No  If yes, mo/day/yr sample was submitted									
1 mile  Water well disinfected?  Yes  No									
5 TYPE OF CASING USED: Steel X PVC Other									
CASING JOINTS: X Glued Clamped Welded Threaded									
Casing diameter 5									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel       ☐ Stainless Steel       ☑ PVC       ☐ Other (Specify)         ☐ Brass       ☐ Galvanized Steel       ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot   Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From 29 ft. to 77 ft., From ft. to ft.									
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other  Grout Intervals: From 0 ft. to 20 ft., From ft. to ft., From ft. to ft.									
Grout In		From0 ft. to	20 ft., From	ا	ft. to	ft.,	From	ft. toft.	
What is	the neare	est source of possible conta				•			
	Septic tar	<del></del>		Livestock		Insecticide		ner (specify below)	
						Oil well/ga	d water well		
		n well						•••••	
FROM	TO	LITHOLOG		FROM	ТО			JGGING INTERVALS	
0	3	Topsoil							
3	4	Limestone							
4	60	Red & gray shale							
60	61	Limestone							
61	100	Fractured gray sl	nale w/limestone	layers					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)10/.5/.10 and this record is true to the best of my knowledge and belief.									
		ell Contractor's License N							
under th	e busines	ss name ofPeterson	Irrigation. Inc	3	by (s	ignature)	The Letter	20	
INSTRUC	CTIONS:	Use typewriter or ball point pen	. PLEASE PRESS FIRMLY	and PRINT cl	early. Plea	ase fill in blank	s and check the correct	et answers. Send three copies	
		o Kansas Department of Health 5522. Send one copy to WAT							
http://www	w.kdheks.g	ov/waterwell/index.html.			,				
KSA 82a-1212									