WATER	R WEL	L RECORD	Form W	WC-5	Divis	ion of Wate	r Resources App. N	0.			
		OF WATER WELL:	Fraction	*/ *:		Number	Township No.	Range Number			
		kinson ddress of Well Location;	1/4 SE 1/4 NE			Dagitianira	T 13 S System (GPS) i		W		
		own or intersection: If at						mormation: (in decimal degree	$_{\rm s)}$		
1109 Spruceway, Abilene, kS					Longitude:9721.522(in decimal degrees)						
						Elevation:					
2 WATER WELL OWNER:					Datum: WGS 84, X NAD 83, NAD 27 Collection Method:						
RR#, Street Address, Box #:					GP:	GPS unit (Make/Model:)					
City, State, ZIP Code :					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m						
3 LOCA	3 LOCATE WELL						<u> </u>	4 9 10 111) 111			
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 59 59 Depth(s) Groundwater Encountered (1)						Ω	(2)	,		
SECTION BOX: Depth(s) Groundwater Encountered (1)							lav/vr. <b>1.0/31./1</b> /2	.t.			
	Pump test data: Well water was						ft. after hours pumping gpm				
EST. YIELD1.01.5. gpm. Well water wasft. after hours pumping									n		
W   E   Bore Hole Diameter9											
Devertie Description Official western supplies Devertoring Office								v)			
Irrigation Industrial Domestic-lawn & garden Monitoring well											
Was a chemical/bacteriological sample submitted to De							Yes 🔀 No				
S If yes, mo/day/yr sample was submitted     mile  Water well disinfected? <b>X</b> Yes \( \subseteq \) No											
5 TYPE OF CASING USED: Steel X PVC Other											
CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter5" in. to39 ft., Diameter ft., Diameter ft.											
Casing height above land surface1.2											
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel VPC Other (Specify)											
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)											
SCREEN-PERFORATED INTERVALS: From											
From											
From											
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: FromQ ft. to ft., From ft. to ft., From ft., From ft.											
	What is the nearest source of possible contamination:  Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)										
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage						ge Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer s  Direction from well						Oil well/ga					
FROM	TO	LITHOLOG		FROM				UGGING INTERVA			
0	2	Topsoil									
2	17	Clay, brown/tan									
17	30	Shale, red/gray	1206	-							
30 33	33 40	Limestone, fractu Shale, gray	TEP			nandamahah akamat an APP TOLET NATURT					
40	60	Limestone, fractu	res								
				-							
						······································					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged											
under my jurisdiction and was completed on (mo/day/year)10/31/12 and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No138 This Water Well Record was completed on (mo/day/year)11/12/12											
under the business name of <b>Peterson Irrigation, Inc.</b> by (signature)											
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at											
http://www.kdheks.gov/waterwell/index.html.											
KSA 82a-1212											