

WATER WELL R		WWC-5 1264	וט	vision of Wate				
Original Record Correction Change 1 LOCATION OF WATER WELL:				sources App. Nection Number		Well ID er Range Number		
County:		1/4 1/4 1/4				$\begin{array}{c} R \\ R \\ \Box E \\ \Box W \end{array}$		
2 WELL OWNER: L	First:			where well is located	· · · _			
Business: Address:			direction from nearest town or intersection): If at owner's address, check here:					
Address:								
City: State: ZIP:								
3 LOCATE WELL WITH "X" IN	WITH "X" IN 4 DEPTH OF COMPLETED WELL:							
SECTION BOX:	SECTION BOX: Depth(s) Groundwater Encountered: 1)			Longitude:				
N 2) II. 5) II., OI WELL'S STATIC WATER LEVEL:								
	below land surface	, measured on (mo-day-	-yr)	··)		
NW - XNE	, measured on (mo-day-			(WAAS enabled? Yes No)				
	vater was ft. s pumping gpm			□ Land Survey □ Topographic Map □ Online Mapper:				
W E	Well water wa							
SW SE	SW SE - after hours pumping Estimated Yield:			6 Flove	tion ft	Ground Level TOC		
s	<u>e</u> 1				GPS			
1 mile	in. to							
7 WELL WATER TO BE USED AS:								
1. Domestic: 5. □ Public Water Supply: well ID								
☐ Household ☐ Lawn & Garden	— 8 9			11. Test Hole: well ID □ Cased □ Uncased □ Geotechnical				
	8. Monitoring: well ID				12. Geothermal: how many bores?			
2. Irrigation	2. Irrigation 9. Environmental Remediation: well ID.			a) Cl	a) Closed Loop 🔲 Horizontal 🗌 Vertical			
3. Feedlot Soil Vapor			Extraction	b) Open Loop Surface Discharge Inj. of Water				
4. Industrial Recovery Injection 13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL: □ Steel □ Steel □ Steinless Steel □ Fiberglass □ Other (Specify)								
Steel Stainless Steel Fiberglass PVC Other (Specify) Brass Galvanized Steel Concrete tile None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.								
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.								
Nearest source of possible contamination:								
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well								
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Direction from well? ft.								
10 FROM TO	LITHOLO		FROM	1		PLUGGING INTERVALS		
	Linolo			10	LITIO. LOG (COIII.) 01			
├ ─── ├								
<u>├</u>								
			Notes:	1				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
under the business name	e of							
	Send one copy to WATER V nd Environment, Bureau of V							
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								