1 LOCATION OF WATER County: Dickinson	WELL:	Fraction SW 1/4 SE 1/4 SW 1	/4 SE 1/4		n Number 17	Township Numl	ber Range Numbe	_
Street/Rural Address of Wordirection from nearest town check here		s, Latin	bal Positi tude: gtitude: vation:	38.9152 -97.2293	20	rmation: (in decimal degree. (in decimal degree)	•	
250' E & 5' N of 1st & Ro	ne	Datu		✓ w	GS84 🗆 NAI	083		
2 WATER WELL OWNE RR#, St. Address, Box # City, State ZIP Code	33 Com	erim Inc. mercial St. o, MA 67560		_	nit Make Map/Pho	to Topograj	phic Map Lar n □ 5-15 m □	-
MARK WELL'S LOCATION WITH AN "X" IN SECTION BOX: N WELL'S STATIC WATER LEVEL: 16.4 ft. WELL WAS USED AS: Domestic Public Water Supply Dewatering Irrigation Old Field Water Supply Monitoring Feedlot Domestic (Lawn/Garden) Injection Well Industrial Air Conditioning					✓ No			
5 TYPE OF BLANK CASING USED: Steel RMP (SR) Wrought Fiberglass Other: PVC ABS Asbestos/Cement Concrete Tile Blank casing diameter: 2 in. Was casing pulled? Yes No If Yes, how much 3' Casing height above or below land surface: 0 in.								
6 GROUT PLUG MATER			ement grout	✓ B	Bentonite	Other:		<u> </u>
Grout Plug Intervals: Fro	om <u>3</u>	ft. To <u>21</u> ft. From	m	ft. To		ft. From	ft. To	ft.
What is the nearest source of possible contamination: Septic tank Seepage pit Fuel storage Other (specify below): Fertilizer storage								
☐ Lateral lines ☐ Feedya		age lagoon Insecticide s yard Abandoned stock pens Oil well/Gas		vater well Direction from well:				
FROM TO		ING MATERIAL	FROM	ТО		PLUGGING	MATERIAL	
	Native soil Bentonite			 				
	Sand Chlorin	nated			N	/W-71		
				 				
				 	<u>† </u>		T	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 6/5/2017 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527. This Water Well Record was completed on (mo/day/year) 6/21/2017 under the business name of GeoCore Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone 785/296-5524. Send one to Water Well Owner and retain one								
for your records. Visit us at h	ittp://www.k	dheks.gov/waterwell/ind	ex.html.	•				0110

WATER WELL PLUGGING RECORD Form WWC-5P KSA 82a-1212 ID NO. MW-71





feet 3000 meters 900



GPI Interim Site, formerly Vacublast (for GeoSyntec) Abilene, Kansas

GPS Coordinates:

1	RM Well:	38.91348, -97.22801	MW-21:	38.92006, -97.23402
K	CDHE MW-1:	38.91886, -97.23605	MW-22:	38.91990, -97.23294
K	CDHE MW-3:	38.92242, -97.23135	MW-23:	38.92058, -97.23049
N	MW-8:	38.92384, -97.23456	MW-27:	38.91863, -97.23015
N	иW-9:	38.92384, -97.23454	MW-28:	38.91863, -97.23001
N	MW-10:	38.92284, -97.23378	MW-29:	38.91632, -97.23053
N	MW-11:	38.92284, -97.23367	MW-30:	38.91632, -97.23039
N	MW-18:	38.92056, -97.23392	MW-31:	38.91540, -97.22569

GPI Interim Site, formerly Vacublast (for GeoSyntec)
Abilene, Kansas
Sheet 2

GPS Coordinates (cont'd):

MW-33:	38.91370, -97.22780	MW-33BR:	38.91385, -97.22790
MW-34:	38.91118, -97.22841	MW-39:	38.91516, -97.23289
MW-40:	38.91516, -97.23303	MW-40:	38.91516, -97.23303
MW-41:	38.91232, -97.22749	MW-42:	38.91233, -97.22732
MW-60:	38.91545, -97.22563	MW-61:	38.91278, -97.22489
MW-71:	38.91529, -97.22939	MW-72:	38.91537, -97.23044