KOLAR Document ID: 1428426

	WELL R			WWC-5		vision of Wat				
—		Correction		ge in Well Use	1	ources App.			Well ID	
		ATER WEL	.L:	Fraction		ction Numb	er	Township Numb		ige Number
County 2 WELL	/: OWNER: L					mal Addmass	who	T S re well is located	R	
2 WELL Business:		ast Name:		First:					· ·	
Address:					unceuon nom	ection from nearest town or intersection): If at owner's address, check here:				
Address:										
City:			State:	ZIP:						
	3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL: ft. 5 Latitude:							(decimal degrees)		
SECTIO				Encountered: 1)						
N	N 2) ft. 3) ft., or 4) \Box D									AD 27
ТХ	WELL'S STATIC WATER LEVEL:							Latitude/Longitude: unit make/model:)
NW	NE	above la	and surface	, measured on (mo-day-	yr)			WAAS enabled?		
		-		vater was f		Land Survey Topographic Map				
w	E	after		s pumpingf vater wasf			Online	e Mapper:	••••••	
SW	SE	after		s pumping						
		Estimated Y			or	6 Elevation:ft. Ground Level TOC				
	S	Bore Hole I		in. to		Source: Land Survey GPS Topographic Map				
1 r		DE LICED		in. to	ft.			Oulei	•••••	
1. Domestic:		BE USED A		ater Supply: well ID)il Fie	ld Water Supply: le	250	
				ig: how many wells?				well ID		
Lawn d				echarge: well ID			Cased	Uncased 🗌	Geotechnica	1
				g: well ID				al: how many bores		
2. ☐ Irrigati 3. ☐ Feedlo			vironmenta] Air Sparge	al Remediation: well II e D Soil Vapor I				Loop Horizont		
4. Industr			Recovery		Extraction		b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):			
			-	nitted to KDHE?	Ves 🗆 No					
						11 yes, uu	ie sui	ipie was sublitte	u	
				C 🗌 Other	CASI	NG JOINTS	S: □	Glued □ Clamped	Welde	1 🗌 Threaded
				Diameter						
		surface			lbs./ft.	Wall thic	kness	or gauge No		
		PERFORAT					1 (6			
□ Steel □ Brass		nless Steel anized Steel	☐ Fiber □ Conc		used (open hol		ther (S	Specify)	•••••	
		ATION OPE			iseu (open no					
	nuous Slot	☐ Mill Slot			orch Cut	Drilled Holes		Other (Specify)		
	red Shutter	☐ Key Punch				None (Open I				
				n ft. to	,			,		
				n ft. to						
				Cement grout Be ft., From						
		e contaminati	on: No	potential source of con	tamination w	ithin 200 ft.	1		····· It.	
Septic '	Tank		Lateral Line	es 🗌 Pit Privy		Livestock P	ens		ide Storage	
Sewer]			Cess Pool	Sewage La		Fuel Storage			oned Water	Well
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)										
				Distance from w				ft.		
10 FROM	TO		ITHOLO		FROM	TO		HO. LOG (cont.) or		G INTERVALS
]
					Notes:	<u> </u>	1			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, ar plugged										
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No										
under the business name of										
-		nd Environment ks.gov/waterwel		water, Geology Section, 10	JUU SW Jackson	n St., Suite 420	, Tope	ka, Kansas 66612-136		e 785-296-3565. SA 82a-1212
v isit us at I	<u>up.//www.kulle</u>	ko.gov/waterwer	I/ IIIGCA.IIUIII						17	11 02u-1212

Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1428426

Litholgy

From	То	LithologicLog
0	.50	Gravel
.50	1.0	Sand, 10yr, 3/3,Loose, Fine Grained
1.0	2.0	Silt, Some Clay, 10yr, 3/2, Dry To Damp
2.0	5.0	Sand, Trace Silt, 10yr, 3/5, Damp
5.0	8.0	Silt, 10yr, 4/7, Dry
8.0	10.5	Sand, 10yr, 7/3, Damp, Fine Grained, Loose
10.5	11.5	Sand w/Clay,Moist, Soft, 10yr, 5/2
11.5	13.5	sand, 10yr, 7/3, Damp, Loose, Fine Grained
13.5	17.0	Clay w/sand, 10yr, 5/2, Soft, Moist, Low Plasticity
17.0	19.0	Silty Clay, 10yr, 3/2, Moist, Soft, Low Plasticity
19.0	27.0	Clay, Some Silt, 10yr, 4/1, Moist, Soft, Low Plasticity
27.0	30.0	Silty,10yr, 4/2, Wet, Soft, Non Plastic
30.0	34.0	Sand w/Silt, Very Fine Grained, Soft, 10yr,6/3, Wet
34.0	36.0	Sand, Some Silt, 10yr, 4/1, Wet, Very Fine Grained, Some Trace Clay
36.0	37.5	Silt w/Clay, 10yr, 4/1, Wet, Soft, Non Plastic

Form	WWC5
Contractor	Dakota Technologies Company, L.L.C.
Well Owner	
Doc ID	1428426

Litholgy

From	То	LithologicLog
37.5	41.0	Silt, 10yr, 4/1, Wet, Soft, Loose
41.0	44.0	Clay w/Silt, 10yr, 4/1, Wet, Low Plasticity, Medium
44.0	45.0	Sand, Gravelly dand, 10yr, 5/2, Wet, Loose, Well Graded