

1 LOCATION OF WATER WELL:
 County: Douglas Fraction: SW 1/4 SW 1/4 SW 1/4 Section Number: 5 Township Number: T 13 S Range Number: R 20 W
 Distance and direction from nearest town or city street address of well if located within city? 1020 E 23rd St. Lawrence **Global Positioning Systems** (decimal degrees, min. of 4 digits)
 Latitude: 38° 56' 36.7"
 Longitude: 095° 13' 19.0"
 Elevation: 886.43 PIN, 885.89 TOC
 Datum:
 Data Collection Method: Legal Survey

2 WATER WELL OWNER: AXIOM LLC
 RR#, St. Address, Box # :
 City, State, ZIP Code :

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N			
-- NW --	-- NE --		
W			E
-- SW --	-- SE --		
S			

X

4 DEPTH OF COMPLETED WELL 21 ft. MWB

Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. (3)..... ft.
 WELL'S STATIC WATER LEVEL DRY ft. below land surface measured on mo/day/yr. 4/10/04
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr
 Sample was submitted Water well disinfected? Yes No X

5 TYPE OF CASING USED:

1 Steel	3 RMP (SR)	5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glued..... Clamped.....	
<u>2</u> PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded.....	
		7 Fiberglass		Threaded <u>X</u>	

Blank casing diameter 2 in. to ft., Diameter in. to ft., Diameter in. to ft.
 Casing height above land surface 0 in., Weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless Steel	5 Fiberglass	<u>7</u> PVC	9 ABS	11 Other (Specify)
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RM (SR)	10 Asbestos-Cement	12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	<u>3</u> Mill slot	5 Gauzed wrapped	7 Torch cut	9 Drilled holes	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	8 Saw Cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 11 ft. to 21 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 9 ft. to 21 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete 0-2

Grout Intervals: From 2 ft. to 9 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	13 Insecticide Storage	16 Other (specify below)
2 Sewer lines	5 Cess pool	8 Sewage lagoon	<u>9</u> Fuel storage	14 Abandoned water well	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer Storage	15 Oil well/gas well	

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	Gravel/Fill Material			
3	3	Clay w/ silt, v. soft, v. moist, mottled reddish brown/grey, no odor			
8	10	Clay w/ silt, stiff, moist, reddish brown, mottled w/ grey, rust nodules, no odor			
13	15	sand w/ clay, reddish brown, mottled w/ grey, soft, moist, no odor			
	21	Refuse/Bedrock			
					Flushmount Waiver by D. Taylor

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3/29/06 and this record is true to the best of my knowledge and belief.
 Kansas Water Well Contractor's License No. 157 This Water Well Record was completed on (mo/day/year) 4/3/06
 under the business name of Kelly Mann by (signature) Larsen+Associates, Inc