MW-6R

City	City, State, ZIP Code : Lawren								
3	LOCA AN "X	TE WI	ELL'S ECTIO	LOCA N BOX	TON W (:	/ITH			
				N			ı		
♠							١		
		N	w	N	E		l		
Mie	w		x_			Е			
7			_			_	ľ		
		s	w	8	E				
l ₩							١		
				s			:		

under the business name of

1 LOCATION OF WATER WELL:

County:

**Douglas** 

WATER WELL RECORD

Quad State Services, Inc.

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Walt Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

Fraction

Form WWC-5

KSA 82a-1212

Section Number

ID No.

City, State, ZIP Code : Lawrence, Kansas 66044  3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:  Depth (s) Groundwater Encountered 1 15.0 ft. 2 ft. 3  WELL'S STATIC WATER LEVEL 7.54 ft. below land surface measured on mo/day/yr 11/7  Pump test data: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. afte	ft. gpm gpm ft. ell cify below) ample was X
2 WATER WELL OWNER: Walter McBride  RR#, St. Address, Box # : P.O. Box 171  City, State, ZIP Code : Lawrence, Kansas 66044  3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:  N Depth (s) Groundwater Encountered 1 15.0 ft. 2 ft. 3  WELL'S STATIC WATER LEVEL 7.54 ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping  Est. Yield NA gpm: Well water was ft. after hours pumping  Bore Hole Diameter 8.5 in. to 20.0 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we 9 Dewatering 12 Other (Special Control of the conditioning well)  Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr saturbulled Water Well Disinfected? Yes No	ft. gpm gpm ft. ell cify below) ample was X
RR#, St. Address, Box # : P.O. Box 171  City, State, ZIP Code : Lawrence, Kansas 66044  Application Number:    Application Number:	ft. gpm gpm ft. ell cify below) ample was X
City, State, ZIP Code : Lawrence, Kansas 66044 Application Number:  3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:  Depth (s) Groundwater Encountered 1 15.0 ft. 2 ft. 3  WELL'S STATIC WATER LEVEL 7.54 ft. below land surface measured on mo/day/yr 11/7  Pump test data: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water supply 8 Air conditioning 11 Injection well  WELL WATER TO BE USED AS: 5 Public water supply 9 Dewatering 12 Other (Special Section of the pumping of the pumping 12 Other (Special Section of the pumping 12 Other (Special Section of the pumping 13 Other (Special Section of the pumping 14 Other (Special Section of the pumping 15 Other (Spe	ft. gpm gpm ft. ell cify below) ample was X
AN "X" IN SECTION BOX:    A	ft.  16/06  gpm gpm ft. ell cify below)  ample was X
Depth(s) Groundwater Encountered 1 15.0 ft. 2 ft. 3  WELL'S STATIC WATER LEVEL 7.54 ft. below land surface measured on mo/day/yr 11/r  Pump test data: Well water was ft. after hours pumping  Est. Yield NA gpm: Well water was ft. after hours pumping  Bore Hole Diameter 8.5 in. to 20.0 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Spetal Control of the condition of the condit	ft.  16/06  gpm gpm ft. ell cify below)  ample was X
Depth(s) Groundwater Encountered 1 15.0 ft. 2 ft. 3  WELL'S STATIC WATER LEVEL 7.54 ft. below land surface measured on mo/day/yr 11/7  Pump test data: Well water was ft. after hours pumping  Est, Yield NA gpm: Well wa	ft.  16/06  gpm gpm ft. ell cify below)  ample was X
WELL'S STATIC WATER LEVEL 7.54 ft. below land surface measured on mo/day/yr 11/  Pump test data: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  10 Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  Est, Yield NA gpm: Well water was ft. after hours pumping  10 Well water supply 8 Air conditioning 11 Injection was fine water supply 9 Dewatering 12 Other (Special Special Spec	gpm gpm ft. elil cify below)
Pump test data: Well water was ft. after hours pumping  Est. Yield NA gpm: Well water was ft. after hours pumping  Bore Hole Diameter 8.5 in. to 20.0 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Special Section of the condition of the cond	gpm gpm ft. eil cify below) mple was X mped
Est, Yield NA gpm: Well water was ft. after hours pumping  Bore Hole Diameter 8.5 in. to 20.0 ft. and in. to  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Special Section 12 Injection water supply 12 Other (Special Section 13 Injection water supply 14 Injection water supply 15 Dewatering 15 Other (Special Section 14 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr satisfactory water was ft. after hours pumping 15 Dewater was ft. after hours pumping 15 Dewater was ft. after hours pumping 16 Dewater was ft. after hours pumping 17 Dewater was ft. after hours pumping 17 Dewater was ft. after hours pumping 18 Dewater was ft. after hours pumping 19 Dewater was ft. af	gpm ft. ell cify below) ample was X mped
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection we 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Special Section 12 Injection was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample submitted Water Well Disinfected? Yes No	ft. eil cify below) mple was X
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sa  submitted Water Well Disinfected? Yes No	mple was
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sa  submitted Water Well Disinfected? Yes No	mple was
2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well  Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sa  submitted Water Well Disinfected? Yes No	mple was
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sa submitted Water Well Disinfected? Yes No	mple was X
S submitted Water Well Disinfected? Yes No	mped
	mped
5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Cla	
Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
PVC 4 ABS 7 Fiberglass Threaded	· · · · · · · · · · · · · · · · · · ·
Plank assiss dismeter 2 375 in to 10.0 to the total A Dismeter to the Dismeter to the total A Dismeter	^
Blank casing diameter 2.375 in. to 10.0 ft., Dia in. to ft., Dia in. to	π.
Casing height above land surface <b>Flush Mount</b> in., weight Ibs./ft. Wall thickness or gauge No. <b>Scheo</b> TYPE OF SCREEN OR PERFORATION MATERIAL: (7) PVC 10 Asbestos-cement	ule 40
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (or	oen hole)
1 Continuous slot (3) Mill slot 6 Wire wrapped 9 Drilled holes	, ,
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 20.0 ft. to 10.0 ft. From ft. to	ft.
From ft. to ft. From ft. to	
GRAVEL PACK INTERVALS: From 20.0 ft. to 7.0 ft. From ft. to	ft.
From ft. to ft. From ft. to	ft.
From ft. to ft. From ft. to  6 GROUT MATERIAL: 1 Neat cement Cement grout 3 Dentonite 4 Other	
Grout Intervals From 0.0 ft. to 1.0 ft. From 1.0 ft. to 7.0 ft. From ft. to	ft.
What is the nearest source of possible contamination:  10 Livestock pens 14 Abandoned water	
1 Septic tank 4 Lateral lines 7 Pit privy (11) Fuel storage (former) 15 Oil well/ Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify be	
3 Watertight sewer lines 6 Seepage pit 9 Feed yard 13 Insecticide storage	,
Direction from well? North-northwest How many feet? 125	
FROM TO CODE LITHOLOGIC LOG	
0.0 0.5 Asphalt	
0.5 8.0 Dark brown-dark gray very silty clay, laminated, firm, moist, discolored gray-blue,	
strong hydrocarbon odor	
8.0 20.0 Red-brown very silty clay, firm, moist, strong hydrocarbon odor	
Flush-mount well completion waiver existent for site.	
Figor-filourit well completion waiver existent for site.	
	$\overline{}$
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdicti	on and was
completed on (mo/day/yr) 11/14/06 and this record is true to the best of my knowledge and belie	, ,
Water Well Contractor's License No. 692 This Water Well Record was completed for mo/day/yr) 1	· · · · · · · · · · · · · · · · · · ·

by (signature)