WATER WELL RECORD	Form WWC-5	I	Division of Wate	r Resources App. No	), []	
1 LOCATION OF WATER WELL:		3	tion Number	Township No.	Range Number	
County: Dong A5	NEWSW WSEWN	E14	<u> 19                                   </u>	T ]3 S	R2/ XE □W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If		Latitude: (in decimal degrees)				
			Longitude: (in decimal degrees)			
		Elev	vation:			
2 WATER WELL OWNER: Set	+ Tompersture Family	Dan Coll	<u>ım:</u> [] WGS 8	4, 🔲 NAD 83, 🔲	NAD 27	
2 WATER WELL OWNER: Seet   Rmpersture Equipment Collection Method:  RR#, Street Address, Box #: GPS unit (Make/Model:)						
City, State, ZIP Code : 1875 B4 176718 HV & Digital Map/Photo, Topographic Map, Land Survey						
LA	wrence, ks. 660	HU Est.	Accuracy: <a> </a>	3 m, 🔲 3-5 m, 🔲	5-15 m, □ >15 m	
12 LOCATE WELL	of COMPLETED WELL5					
WITH AN "X" IN 4 DEPTH C SECTION BOX: Depth(s) Gro	or COMPLETED WELLS		π.			
N Deputity of	Depth(s) Groundwater Encountered (1)					
Pu Pu	Pump test data: Well water wasft. after					
EST. YIELD	EST. YIELD  Qgpm, Well water was					
W   Bore Hole D	F Bore Hole Diameter					
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well						
Domestic Feedlot Oil field water supply Dewatering \ Other (Specify below)						
Irrigation   Industrial   Domestic-lawn & garden   Monitoring well C. Lose d Loge						
Was a chemical/bacteriological sample submitted to Department?  Yes No						
S If yes, mo/day/yr sample was submitted						
water werr districted:						
5 TYPE OF CASING USED: S			0.175+1.71	en C		
CASING JOINTS: Glued Clamped Welded Threaded						
Casing diameter 3/4 in. to						
Casing height above and surface	N. MATERIAL.	۶۰.۱.۲Ibs.	ft., Wall thic	kness or gauge No	D. 1.600.0.3. /	
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot						
Louvered shutter Key punche	d Wire wrapped Saw o	ut 🗌 O	ther (specify)			
SCREEN-PERFORATED INTERVALS:         From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From 200 ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
		tock pens	Insecticide	_	er (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well  ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well 43.1		ance from v		s well		
	OGIC LOG FRO				GGING INTERVALS	
0 15 50 46/02		1 10		J (COME.) OF TEO	COULO HAIDKAVID	
15 16 Shotston						
16 18 Limestone	200	7 3	6-200	boles Se	aled with	
18 60 sandstore			Hish -	Solite Ro	otanite	
60 144 SANTISTE			,,,,,		, , , , , , , , , , , , , , , , , , , ,	
144 152 Shale						
152 160 (inestore)						
160 164 Shale						
164 184 Linestone						
184 200 Shale			1			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged						
under my jurisdiction and was completed on (mo/day/year) 1.217						
Kansas Water Well Contractor's License No. 5.4. This Water Well Record was completed on (mo/day/year) 12:20-2019 under the business name of Thank Sure 134 Dev. The by (signature) 22/05						
INSTRUCTIONS: Use ty pewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Depar tment of He						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at						
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212  Check: White Copy, Deluc Copy, Pink Copy						
KSA 82a-1212		(	Jneck: 🖭 Wi	nte Copy, 🔲 Blu	e Copy, L Pink Copy	