WATER WELL RECORD			er Resources; App. No.	
1 LOCATION OF WATER WELL County: Douglas	L: Fraction NE 1/2 NE 1/4 SE	Section Nu 1	mber Township Number T 13 S	Range Number R 20 E
County: Douglas NE ½ NE ½ SE ½ Distance and direction from nearest town or city street address of well if located within city? 19 th & Massachusetts St., Lawrence KS County: Taction NE ½ NE ½ SE ½ Global Positioning System (decimal degrees, min. of 4 digits) Latitude: Longitude:				
2 WATER WELL OWNER: M& RR#, St. Address, Box # : PO City, State, ZIP Code : Lav	Box 171 wrence KS 66044	Elevation: Datum: Data Colle	ction Method: legal survey	
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 25 ft.				
LOCATON WITH AN "X" IN SECTION BOX: N P For Yield	roundwater Encountered 1 TATIC WATER LEVEL Nump test data: Well water wagpm: Well water wa	A ft. below lar	ft. 2 ft. 3 and surface measured on move after hours pump after hours pump	ft. /day/yr ping gpm ping gpm
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs				
S Sample wa	s submitted	<i>W</i>	Vater Well Disinfected? Ye	es No X
5 TYPE OF CASING USED: 1 Steel 3 RMP (SR)	6 Ashestos-Cement 9	Other (specify bel	ow) Weld	ded
Blank casing diameter 2 in.	to 5 ft., Dia	in. to	ft., Dia i	n. to ft.
PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface NA ft., Weight Ibs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:				
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 5 ft. to 25 ft. From ft. to ft.				
SCREEN-PERFORATED INTERVA	ALS From 5 f	t. to 25	ft. From ft	, to II.
GRAVEL PACK INTERVAL	S: From 3 f	t. to 25 t. to	ft. From ft	to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Concrete: 0-1ft Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. to ft.				
Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. From ft. To ft. From ft. From ft. To ft. From ft. From ft. To ft. From ft.				
		FROM TO	PLUGGING IN	TERVALS
0 0.5 Asphalt & gra 0.5 7.5 Dark gray silt	y clay			***************************************
7.5 18 Brown silty cl	ay w/ limestone chips			
18 25 Yellow brown	shty clay			
			Flushmount waiver from	n BOW
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1) constructed, (2) recenstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 15, 7 under the business name of Larsen & Associates, Inc. by (signature)				
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Realth and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.				