		CPMW2 S				
VATER WELL RECORD Form WWC-5		Division of Water Resources App. No.		lo.		
1 LOCATION OF WATER WE County: Wallaco	ELL: Fraction	างเขรเบ	Section Number	Township No.	Range Number R → D XE □W	
Street/Rural Address of Well Lo			Global Positionin	g System (GPS) i	nformation:	
from nearest town or intersection FOUMLY FAUMLANA	n: If at owner's addres Plant	ss, check here .	Latitude: .7.6	(154.65	(in decimal degrees) (in decimal degrees)	
Contact :	Alken Rodger	' A2	Elevation: 35.	6.73 TOC.		
2 WATER WELL OWNER: (ARR#, Street Address, Box #: P	the of the Day	nel	Datum: WGS 8 Collection Method:	34, ∐ NAD 83, L	NAD 27 La Famil WGS 84) de	
RR#, Street Address, Box #: P	0.30x 708		GPS unit (Ma	ke/Model: (6)	ogle Latin	
City, State, ZIP Code :	no Hain Lau	NCONDO VC	Digital Map/Pl	hoto, Topograph	ic Map, Land Survey	
3 LOCATE WELL	- · · · · · · · · · · · · · · · · · · ·	viere, no	Est. Accuracy:	<3 m,] 5-13 m, >13 m	
	TH OF COMPLETE					
SECTION BOX: Depth(s)	Depth(s) Groundwater Encountered (1).15					
WELL'S	STATIC WATER LE	ell water was	ft after	measured on mo/o	ning com	
Pump test data: Well water was						
W EST. YIELDgpm, Well water wasft. afterhours pumpinggpm gpm Bore Hole Diameterft., andft.						
WELL WATER TO BE USED AS: □ Public water supply □ Geothermal □ Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted						
	ell disinfected? \(\sim\) Ye		•••••			
TYPE OF CASING USED: [Steel X PVC	Other				
CASING JOINTS: Glued [Clamped We	elded 🏻 Threaded				
Casing diameter 3.75 in. to	o 🎝 🖟 ft., Diar	meterin. t	o ft.,	Diameter	in. to	
Casing height above land surface	in	Weight	lbs./ft., Wall thi	ckness or gauge N	o. 500.40°	
TYPE OF SCREEN OR PERFORA			Other (Specify)			
Brass Galvanized Steel			Other (Specify)			
SCREEN OR PERFORATION OF	PENINGS ARE:					
Continuous slot Mill slo			Drilled holes			
☐ Louvered shutter ☐ Key pu SCREEN-PERFORATED INTER	VAIS: From 33	ft to	Other (specify)		to ft	
SOLUBIN TEM GIGITED INTER	From	ه ft. to		ft.	to ft.	
GRAVEL PACK INTERV	VALS: From33.%	ft. to .ا.عا. الم	ft., From	ft.	to ft.	
	From	ft. to	ft., From	ft.	to ft.	
GROUT MATERIAL: No	eat cement	nt grout Benton	ite 💆 Other C	EMERICALE		
What is the nearest source of possib	ntamination:	., From	t. to & / ft.,	. From	It. toIt.	
	ateral lines	Livestock p	ens 🔲 Insecticide	e storage	ner (specify below)	
	esspool	agoon		d water well		
☐ Watertight sewer lines ☐ S Direction from well	eepage pit Feedyard					
	HOLOGIC LOG	FROM	rom well 150 TO LITHO. L		JGGING INTERVALS	
	in that till	FROM	LITTO, L		COMO INTERVALO	
e.D 13D Way BID E	last					
3.0 23.0 Bun oithu	way,					
13.0 26.0 Rust Bin-	canastone				11-1-1-1-1	
6.0 33.9 DK Heart		distane				
13 D 33 16 OK KLAY	candy ona	W				
						
				1		
CONTRACTOR'S OR LANDO	WNER'S CERTIFIC	CATION: This wate	r well was 🖫 constr	ructed, \square reconstr	ucted, or plugged	
under my jurisdiction and was comp	pleted on (mo/day/year	·) an	d this record is true	to the best of my l	cnowledge and belief.	
Kansas Water Well Contractor's Li-	cense No ! 🤼 🚎	. This Water Well Re	cord was completed	i on (mo/day/year) . Q./.5.I. J./	
under the business name (6.6). INSTRUCTIONS: Use typewriter or ball	DOINT DE DE LA CE DE CO	EIRMI Vand DRINET 4	by (signature)	and check the correct	answers Send one copy to	
Kansas Department of Health and	f Environment, Bureau of W	ater, Geology Section, 10	00 SW Jackson St., Suit	e 420, Topeka, Kansa	s 66612-1367.	
Telephone 785-296-5524. Send one copy	to WATER WELL OWNE	R and retain one for your r	ecords. Include fee of \$	\$5.00 for each construc	eted well. Visit us at	
	http://www.k	dheks.gov/waterwell/index	html	4.4.4		