KOLAR Document ID: 1493218

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App.			Well ID		
			Fraction	Section Number			Township Numb		nge Number		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: 5						mal Addmaga	$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
2 WELL Business:		ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:					
Address:					unceuon nom						
Address:											
City:			State:	ZIP:							
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	tude:			(decimal degrees)	
SECTION BOX. Depth(s) Ground				Encountered: 1)			Longitude:(decimal degrees)				
1	Ν			Dry Well			WGS 84 INAI		NAD 27		
		WELL'S STATIC WATER LEVEL:					Source for Latitude/Longitude:				
NW	X NE			-yr)		(WAAS enabled? \Box Yes \Box No)					
		Pump test d			□ Land Survey □ Topographic Map						
w	E	after	hours			□ Online Mapper:					
SW	SE	Well water wasft. after hours pumping									
			Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC				
	S	Bore Hole Diameter: in. to			ft. and	Source	Source: Land Survey GPS Topographic Ma				
1 r				in. to	ft.			Other			
7 WELL WATER TO BE USED AS:											
1. Domestic ☐ House			 5. □ Public Water Supply: well ID 6. □ Dewatering: how many wells? 				10. ☐ Oil Field Water Supply: lease 11. Test Hole: well ID				
		7. Aquifer Recharge: well ID				Cased Uncased Geotechnical					
					ID			al: how many bores			
	2. Irrigation 9. Environmental Remediation: well II						a) Closed Loop 🔲 Horizontal 🔲 Vertical				
3. Feedlot Air Sparge									ce Discharge 🔲 Inj. of Water		
4. Industrial Recovery Injection 13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
□ Steel □ Stainless Steel □ PVC □ Other (Specify)											
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: Image: Comparison of the sector of											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
Septic			Lateral Line			Livestock P	ens	□ Insectio	cide Storage		
			Cess Pool	Sewage La		Fuel Storage			oned Water		
	ight Sewer Lir			☐ Feedyard		Fertilizer St	orage	🗌 Oil We	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO TO		ITHOLO		FROM	ТО		ft. HO. LOG (cont.) or		C INTEDVALS	
IU PROM	10				TROM	10		110. LOG (colit.) of	TLUUUIN	OINTERVALS	
						1					
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my i	urisdiction ar	id was compl	leted on (n	no-day-year)	and	this record	is tru	ie to the best of m	y knowled	ge and belief.	
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)		
under the b	usiness name	<u>e of</u>	WATED M	/ELL OWNER and retain		vondo E- CA	5 00 0				
KS Departr										e 785-296-3565.	
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										