WATER WELL RECORD	Form W	WC-5	Di	Division of Water Resources App. No.		
1 LOCATION OF WATER WELL:	Fraction		Secti	tion Number Township No. Range Number		
County: Doublas	NE'4 SE'4 NI	24 SEV	-	7 T S R 20 ME W		
Street/Rural Address of Well Location	n; if unknown, distance d	& direction	Globa	bal Positioning System (GPS) information: itude: 36.5.4.2.4. (in decimal degrees) ingitude: (in decimal degrees)		
from nearest town or intersection: If	at owner's address, chec	k here 🔼.	Land	oritude: 05° /// // W (in decimal degrees		
			Flev	vation:950		
			Datu	um: ■ WGS 84, □ NAD 83, □ NAD 27		
2 WATER WELL OWNER: FRED LUTZ RR#, Street Address, Box #: //29E / 700 Rd City, State, ZIP Code : //2014 KS LC						
RR#, Street Address, Box #: 1/29E / 700 Rd				GPS unit (Make/Model: Plant C Afficial Map/Photo, Topographic Map, Land Survey		
City, State, ZIP Code :	WHERE, KS 66	044	Est.	Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m		
WITH AN "X" IN 4 DEPTH (OF COMPLETED WEI	.L//	0	ft.		
CECTION BOY. Doubles Con	andwater Encountered	(1)	ft	ft (2) ft. (3)		
N WELL'S ST	N WELL'S STATIC WATER LEVEL/20ft. below land surface measured on mo/day/yr.//-6-2020					
Pump test data: Well water was						
in to the first the state of th						
WELL WATER TO BE LISED AS: Public water supply Geothermal Injection well						
Other (Specify helow)						
Irrigation	n 🗍 Industrial 🗍	Domestic-la	awn & g	garden Monitoring well		
Was a chem	ical/bacteriological samp	le submitted	to Depa	artment? 🔲 Yes 🗶 No		
s If yes, mo/day/yr sample was submitted						
	lisinfected? 💢 Yes 🗌	No				
5 TYPE OF CASING USED: 💢	Steel PVC					
CASING JOINTS: Glued Clambed Welded Infeaded						
Casing diameter						
Casing height above land surface	MATERIAL	it	lbs./	s./π., wall thickness of gauge No.		
TYPE OF SCREEN PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)						
SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
		n	. ft. to	ft., From ft. tof		
What is the nearest source of possible c Septic tank Laters						
Sewer lines Cessp	l lines Pit privy	☐ Livestock ☐ Fuel stora		Insecticide storage Other (specify below) Abandoned water well		
	ge pit Feedyard	Fertilizer		Oil well/gas well		
Direction from well	7	. Distance		well #FT		
FROM TO LITHOL	OGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVAL		
		170-	4	BENTONIE Hole Play		
				, ,		
		11.		700 C 1		
		4-	0	10/ sou		
	· · · · · · · · · · · · · · · · · · ·	 				
		1				
				2 2		
				(1)		
7 CONTRACTOR'S OR LANDOWN	ER'S CERTIFICATIO	N: This wa	ter well	was constructed, reconstructed, or plugged		
under my jurisdiction and was completed on (mo/day/year) 1						
Kansas Water Well Contractor's License No. 6.36 This Water Well Record was completed on (ho/day/year) 1.7-2.020. under the business name of AACKAN. HUMP & Well Dulling The by (signature)						
under the business name of A. T. T. K. KLMP G. Well. William The by (signature)						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PANT clearly. Please fill in blanks and deck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						