	**.		18/8	TER WELL	BECORD (Form WWC	.5 KSA 9	32a-1212	1	hw	81-	15 V
	N OF WAT		Fraction			S	ection Numb	er Township	Number	F	Range Nu	ımber
County: \			NW	/7 / 		E 1/4	25	T /	5 S	l R	21	_@ w
Distance and	d direction	from nearest tow	vn or city stree	et address o	of well if locat	ed within city	,					
O WATER	WELL OW	NED. 7/ 10 /	1	A A 200 A 2 400	<u> </u>							
2 WATER	WELL OW	WER: U.S. (LOVERN	MENT	.A		0	Daniel .	. f. A	Division	18/man	- December
HH#, St. Ac	aress, Box	# SOMFE	OWEL	HEMY	17 / 10 / 14 U /	UITIONI	ZANT		of Agriculture		or water	Hesource
City, State,		DESO	TO, K	ANSAS	5	21 0			tion Number			t 0
AN "X" IN	VELL'S LO	I BOX:						VATION: 9.01.				ر بعمر ج
	<u> </u>	<u> </u>						t. 2				π. . マ ノ
	- i - I							surface measured				
	NW	NE						. after				
	!	!	Bore Hole Di	gp	m: we⊪ wa ■ :	ter was) <u>.</u>	. after				
* w			WELL WATE	•	,	5 Public wa		8 Air condition		m. to 1 Injectio		. O
_	_ i	1	1 Domes		Feedlot	6 Oil field v			· .	_	Specify b	anlow()
	- SW	SE	2 Irrigation		Industrial			Observation		A		WELL
	!	!!!	_					YesNo	- ()			
<u> </u>	_		mitted	Cai/Dacterion	ogical sample	Submitted to	•	Water Well Disinfe	-	, 1110/Ga	No Y	/
5 TYPE OF	E BI VVIR C	ASING USED:	milleu	5 \A/ro	ught iron	8 Con	crete tile		JOINTS: GIL	led Y		ed :
ا Stee		ASING USED: 3 RMP (SI	R)		ugni iron estos-Cemen		r (specify be			•		eu
2 PVC		4 ABS	• •)	7 Fibe				::OW)				
	100	4 ADS	in to 5						• • • •			
	-	-						os./ft. Wall thickne				
		R PERFORATIO		-	3·1· · · · · · · ·		vc)		Asbestos-cer			
1 Stee		3 Stainless		5 Fibe	rolass		MP (SR)		Other (specif			
2 Bras		4 Galvaniz			crete tile	9 /			None used (
		ATION OPENIN		0 0011		zed wrapped		8 Saw cut	10110 0000 (one (ope	n hole)
	tinuous slo		lill slot			wrapped		9 Drilled hol	es		(-	,,
	vered shutt		ey punched			ch cut	_	10 Other (spe				. .
		D INTERVALS:		5.0) ft F	From				
			From					From				
GF	RAVEL PAG	CK INTERVALS:	From				_	From				
			From	Ť	ft. to		ft., F	rom ,	a ft	to		·ft.
6 GROUT	MATERIAL	1 Neat o	cement	2 Ceme	ent grout	3 Ber	tonite (4 Other N.E.A.	TUEN	DENT.	WII	rH
Grout Interv	als: Fror	n <i>O</i>	. ft. to 🕉	. O ft.,	From	ft.	to	ft., From	4%	BEW	TON!	T.Eft.
What is the	nearest so	urce of possible	contamination	1:			10 Liv	vestock pens	14	Abandor	ned water	well
1 Sept	tic tank	4 Later	al lines		7 Pit privy		11 Fu	iel storage	15	Oil well/	Gas well	
2 Sew	er lines	5 Cess	pool		8 Sewage la	goon	12 Fe	ertilizer storage	16	Other (s	pecify be	low)
3 Wate	ertight sew	er lines 6 Seep	age pit		9 Feedyard		13 ln:	secticide storage				
Direction fro	· · · · · · · · · · · · · · · · · · ·							many feet?				
FROM	TO	1	LITHOLOG	SIC LOG		FROM	то	1 ,	LITHOLO	GIC LO	G	
0	6.51	CLAY	_									
6.5	7.5	SANDY	CLAY									
7.5	9.8	GRAYEL			ATRIX							
	16.3	STONER						-				
	23.6	EUDORA	SHITTE	3R.								
	30.0	CAPTAIN		<u> </u>	IBR.						•	
30.0	36.0	VILAS O	SHALE									
							+					
							+	<u> </u>				
								-				100
							-	1				
							 					
							-		· .			
·								1				
												<u> </u>
			R'S CERTIFIC	ATION: Thi	s water well	was (1) const		econstructed, or (
completed o		, ,	-12-8	/				ecord is true to the		knowledg	e and be	lief. Kansas
		License No	MIH		This Water	Well Record	vas complete	ed on (mo/d ay/ yr)	1127	(8-		1
		ne of	4RMY (OPPS	OF ENG	INEER	S by (sig	nature)	wE.		yle	<u>~</u> _
INSTRUCTI	ONS: Use to	ypewriter or ball	point pen, PLE	EASE PRES	S FIRMLY a	ind <i>PRINT</i> cle	arly. Please f	ill in blanks, under ology Section, Top	line or circle	the corre	at answer	s. Send top
	OU NAOSAS	Department of He	saiui and Envii	onnent, DIV	ISION OF ENVIR	אוווע ENVIrc בחוווע	mmental Ge(ection, top:	2000 CA, No	.у. фепа (バル いん ムカ	O EN VVELI