

Subna

95,07455  
33,9339

# WATER WELL RECORD

## DRILLERS LOG OF WELL

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
0	3	Soil
12	15	Clay & Sand ( Little water)
9	24	Shale
6	30	Lime
10	40	Sand (Little water)
15	55	Lime
6	61	Shale
7	68	Lime
14	82	Shale
17	99	Lime
3	102	Shale
	102	Total Depth

Well Owner Lawrence Wilson  
Address Mudora, Kansas  
Drilling Contractor Carl Moore  
Wellsville, Kansas  
Date Drilled December 15, 1967  
Method of Drilling Cable tool  
(Cable tool, rotary, reverse rotary, etc.)  
Casing Schedule 102 ft. of 6" used steel  
(Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)  
set in loose

25 ft. of 8 inch cemented in (used steel)  
Screen Data (if any): Casing torch perforated  
(Length, Diameter, Slot Size, Setting)


Measured depth to water on completed well (Static Level) is  
15 ft. below Land Surface  
(Land Surface, Top of Casing, Etc.)

TESTED YIELD: 40 gallons per Hour  
(Min., Hour)  
as determined by Bailing  
(Bailing, Test Pumping, Etc.)

DRAWDOWN: \_\_\_\_\_ ft. after \_\_\_\_\_ hrs.  
pumping at \_\_\_\_\_ gal. per minute.

REMARKS: Gravel Packed from  
25 ft. to 13 ft.  
Cemented from 13 ft. to surface.

LOCATION OF WELL Topographic Sheet \_\_\_\_\_  
[Show location in Section Plat] Elev. 852 fm



SE NE  
\_\_\_\_\_ & S.E. \_\_\_\_\_ & Sec. 9  
T. 13 S., R. 21 E.  
County Douglas

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."

798