WATER WELL RECORD	Form W	WC-5	Di	vision of Wate	er Resou	rces App. No	_{).} L	Para de la companya	
1 LOCATION OF WATER WE		THE PERSON NAMED OF THE PE		on Number			Range l		
County: Done		1/4 No 1/4 No 1/4 NW 1/4		30		13 s		DE □W	
Street/Rural Address of Well Location; if unknown, distance & direction				d Positioning					
from nearest town or intersection: If at owner's address, check here				Latitude:					
				Elevation: (in decimal degrees)					
4 XX/A PERIO XX/EST T CANADADA.		······································	- Datur	- <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27					
2 WATER WELL OWNER: Dage Page RR#, Street Address, Box #: 1094 E 2000 Q L				Collection Method: GPS unit (Make/Model:)					
City, State, ZIP Code :				Digital Map/Photo, Topographic Map, Land Survey					
٤	indoca Ks. 660	25		ccuracy: -					
3 DOCATE WELL	HOF COMPLETED WEL		180	ft.	3	180' Bo	res		
	Depth(s) Groundwater Encountered (1).9.5								
	WELL'S STATIC WATER LEVEL. No. 2ft. below land surface measured on mo/day/yr								
*	Pump test data: Well water was								
	EST. YIELD								
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic									
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well C. los eol c. o.									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
water weit distincted: 1 is 1 ivo									
5 TYPE OF CASING USED: Steel PVC Other H.D. Polyethylene CASING JOINTS: Glued Clamped Welded Threaded Fusion									
Casing diameter									
Casing diameter 3/4 in to 1/50 ft., Diameter in to ft., Diameter in to ft. Casing height above land surface in., Weight 50R11 lbs./ft., Wall thickness or gauge No. 1/60 P5.T.									
TYPE OF SCREEN OR PERFORATION MATERIAL: NOR A SCREEN OR SERVICE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE: None									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify) SCREEN-PERFORATED INTERVALS: From ft., From ft. to									
From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
What is the nearest source of possib	ole contamination:								
	ateral lines Pit privy	Livestock		Insecticide			er (specif	y below)	
Sewer lines									
Direction from well Sand			_						
	HOLOGIC LOG	FROM	ТО	LITHO. L	OG (cc	ont.) <u>or</u> PLU	GGING	INTERVALS	
0 3 Soil + clay 2 A Sandstone									
2 1 Sandstode									
12 12 Coal 12 57 Sandstone	Western Control of the Control of th								
57 95 Shale	Lancard Control of the Control of th	180	3	3-160	160	Cos PI	breed	with	
57 95 Shale 95 111 Sandstone			<u>```</u>	high			3773.		
115 11me	TEN OFFICE AND								
115 130 Shale								-	
130 157 lime									
157 180 Shale 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☒ plugged									
under my jurisdiction and was completed on (mo/day/year) .10.: 2.11.@ and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)1.0									
under the business name of Evans. Energy. DRU. Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please-fift in blanks and check the correct answers. Send three copies									
(white, blue, pink) to Kansas Department	of Health and Environment, Bureau	of Water, Geo	logy Secti	on, 1000 SW Ja	ackson S	t., Suite 420,	Topeka, Ka	ansas 66612-1367.	
Telephone 785-296-5522. Send one copy http://www.kdheks.gov/waterwell/index.htm	to WATER WELL OWNER and	retain one for	your reco	rds. Include fe	<u>ee</u> of \$5.	00 for each c	onstructed	well. Visit us at	
KSA 82a-1212	ц.								