WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.											
		WATER WELL: Douglas	Fraction NE 4	NE ¼	NE ¼	Section Nu	mber	Townsh T	nip Number	Range Number R 21 E	
County: Douglas NE 1/2 NE 1/2 8 T 13 S R 21 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)											
located within city? 1006 Ash St., Eudora, KS 66025 Latitude: N 38.94155°											
Longitude: W 95.09392°											
2 WATER WELL OWNER: KDHE Elevation: RIM: 862.93; TOC: 862.57											
		, Box # : 1000 S		Blvd		Datum:	NAV	D 29			
		ode : Topeka				Data Collec	ction M	ethod:	legal survey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 16.72 ft.											
LOCA						MW11					
1		N Denth(s) Groun	dwater Eng	countered 1		112 11 12	fi 2		ft 3	fi	
1	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr										
SECI	SECTION BOX: WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr										
ļ	N Pump test data: Well water was ft. after hours pumping gpm										
Est. Yield gpm: Well water was ft. after hours pumping gpm											
	NW—NE— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)											
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well											
l Lsv											
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
S Sample was submitted Water Well Disinfected? Yes No X											
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
5 TYPE	OF CASI	NG USED: 5	Wrought Is	ron	8 Concr	ete tile	CASI	ng JOII	VIS: Glued	Clamped	
1 Ste	eel	3 RMP (SR) 6	Asbestos-C	Cement	9 Other	(specify belo	ow)		Welde	d	
(2)PV	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded (2) PVC 4 ABS 7 Fiberglass Threaded X										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 4.72 ft., Dia in. to ft., Dia in. to ft.											
Casing height below land surface 0.36 II Weight IDS./II. Wall Inickness or gauge No.											
TYPE OF SCREEN OR PERFORATION MATERIAL:											
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)											
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
ISCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot (3)Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)											
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)											
SCREEN-	-PERFORA	TED INTERVALS:	From	4.72	ft. to	16.72	ft. Fro	m	ft. to	ft.	
			From		ft to		ft Fro	m	ft to) ft	
GR	AVEL PA	CK INTERVALS:	From	3	ft. to	17.16	ft. Fro	m	ft. to	ft.	
			From		ft. to		ft. Fro	m	ft. to	ft.	
		27.7									
6 GROU	JT MATE	RIAL: 1 Neat cem	ent 2 Ce	ment grout	3 Ben	onite (4)	Other	Concret	e: 0-1'		
Grout Inte	rvals F	$\frac{1}{1}$ ft. to	3 ft.	From	ft	to	ft.	From		ft. to ft.	
What is th	e nearest se	ource of possible con	tamination:								
Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)											
2 Sewer lines 5 Cess pool 8 Sewage lagoon (11) Fuel storage 14 Abandoned water well below)											
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
Direction	from well?	W			How man	y feet? ~100	0'				
FROM	TO		OGIC LO		FROM	OT		PLLIC	GING INTE	PVAIS	
0			COIC LOC	<u> </u>	TRON	10		1 100	OH40 INTE	17 1 LTD	
1	3	Asphalt and gravel Dark brown silty clay v	r/ grevel								
3	5	Dark brown silty clay v	gravei								
5	10	Dark black to brown sil	ty clay aradis	ng to o	+	+					
	70	Grayish tan silty sand	Can Braun								
10	15	Light blonde sand w/ cl	y and silt			+					
15	17.16	Sand w/ silt and clay	, and oth								
1.7	11.10	Spile W. Sill alle Cla				1					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Departmented (2) reconstructed, or (3) plugged											
under my jurisdiction and was completed on (mo/day/year) 3/24/15 and this record is true to the best of my knowledge and belief.											
		tractor's License No.				ecord was cor				26/15	
		of Larsen & Asso			by (signa		(-	يرسه			
							artment A	CHAdith or	d Environment	Rureau of Water	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one of ATER WELL OWNER and retain one for											
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											