KOLAR Document ID: 1465342

WATER WELL RECORD Form WWC-5						Division of Water						
Original R			e in Well Use			urces App. Notion Number			Well ID	NI1		
1 LOCATION OF WATER WELL:			Fraction	action 1/4 1/4 1/4 1/4 1/4				Township Number T S		Range Number R □ E □ W		
County: 2 WELL OWNER: Last Name:			First:		r Dur	al Addrace v						
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:												
Address:												
Address:												
City: State: ZIP:												
3 LOCATE	IPLETED WELI	L :	ft. 5 Latitude:(decimal degr					(decimal degrees)				
	WITH "X" IN			Encountered: 1) ft.			Longitude:(decimal degrees)					
SECTION BOX: 2) ft. 3			3) ft., or 4) ☐ Dry Well			Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27						
			WELL'S STATIC WATER LEVEL: ft.				Source for Latitude/Longitude:					
		below land surface, measured on (mo-day-yr)				_ ==						
NW	- NE	above land surface, measured on (mo-day-yr)				(11 11 11 11 11 11 11 11 11 11 11 11 11						
		Pump test data: Well water was ft. after ppm				☐ Land Survey ☐ Topographic Map						
W	E	Well water was ft.				☐ Online Mapper:						
SW -	- SE	after hours pumping gpm										
		Estimated Yield:gpm				6 Elevation:ft. ☐ Ground Level ☐ TOC						
S		Bore Hole Diameter: in. to ft. and				Source: Land Survey GPS Topographic Map						
1 mil			in. to ft.									
7 WELL WATER TO BE USED AS:												
1. Domestic:			ter Supply: well ID									
Househo			Dewatering: how many wells?			11. Test Hole: well ID						
			lecharge: well ID			☐ Cased ☐ Uncased ☐ Geotechnical						
_			g: well IDal Remediation: well ID			12. Geothermal: how many bores?						
2. ☐ Irrigation 9. Environmenta 3. ☐ Feedlot ☐ Air Sparge						a) Closed Loop ☐ Horizontal ☐ Vertical b) Open Loop ☐ Surface Discharge ☐ Inj. of Water						
4. ☐ Industrial ☐ Recovery			☐ Injection			13. Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
Water well disinfected? \square Yes \square No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)												
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)												
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)												
	SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft., From ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
		L: Neat cement										
		ft. to					ft. 1		ft.			
Septic Ta		Lateral Line				nn 200 n. Livestock Per	ъ. Г	Insecticid	e Storage			
Septic Ta		Cess Pool	Sewage ☐		_	Fuel Storage		l Abandone				
☐ Watertigh		_				Fertilizer Stor	<u>-</u>	Oil Well/		****		
Other (Specify)												
Direction from		n well?	well? ft.									
10 FROM	TO	LITHOLOG	GIC LOG	FRC	M	TO	LITHO. LOG (cont.) or P	LUGGIN	G INTERVALS		
				Note	s:							
11 CONTRACTORIC OR LANDOWNERS CERTIFICATION THE STATE OF												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo day year)												
under my jurisdiction and was completed on (mo-day-year)												
under the bus	siness name	of	11118	۷۷ 6	1 1000	nu was coll	ipicica on (ill	y-yca				
	S	Send one copy to WATER W	ELL OWNER and reta	ain one for yo	ur reco	rds. Fee of \$5.	.00 for each const	ructed well.				
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at http	o://www.kdhek	cs.gov/waterwell/index.html							KS	SA 82a-1212		