		003MW013							
WATE	ER WELI	RECORD	Form WW	C-5	Divisio	on of Water	r Resources; App. No.		
		F WATER WELL:	Fraction		Section N	lumber	1		
	nty:	ohnson	MH 1/4 NE 1/4		17		T 13 S	R 27 EW	
loca	Distance and direction from nearest town or city street address of we located within city?				Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 38.9371				
351	35425 W 103rd, DESOID, FS 66018				Longitude: 94. 9865				
2 WA	TER WEI	LL OWNER: SUSSIANIE	p. Dinition	UMI	Elevation	n:	70 1003		
RR	#, St. Addre	ess, Box # : 7991 3Ha	THER PARK	wayle	Datum:				
	y, State, ZII	Cour Littlet	on, co 8017	27'		llection N	Method:		
	CATE WE	LL'S 4 DEPTH OF COM	APLĖTED WELL .	75.3	Γ	ft.			
	LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. (3) ft. below land surface measured on mo/day/yr. ? [23]								
	N	Pump test da	Pump test data: Well water wasft. after						
	7	Est. Yieldgr	om: Well water was	4.4.	.ft. after.		hours pumping	gpm	
	W NE	WELL WATER TO 1 Domestic 3 For	BE USED AS: 5 P	ublic water s	upply	8 Air c	conditioning 11 Ir	ujection well other (Specify below)	
w		E 1 Domestic 3 Fo	ndustrial 7 Dome	estic (lawn &	garden)	10 defon	itoring well		
	w se			(8				
3	3E	Was a chemical/bact							
Sample was submitted									
s NWY NEW, NEYY, S17, T135, R22 5 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
				oncrete tile her (specify				Clamped	
Blank casing diameter in. to 15.11 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 7 8 Saw cut 10 Other (specify)									
From									
From									
		Fron	1 ft. t	0	ft.,	From	ft. to	ft.	
6 GRO	OUT MATI	ERIAL: (Neat cement (2)Cement grout 6	Bentonite	4 Other				
Grout I	ntervals:	From . 🗘 🔘 ft. to !	ft., From	O	t. to 7. s. (D ft	., From . 7.1.0	ft. to 1.3 0. ft.	
		source of possible contamin		10.71		40.5	#3		
	Septic tank Sewer line		7 Pit privy 8 Sewage lagoon	10 Livesto 11 Fuel sto	-		ecticide storage andoned water well	16 Other (specify below)	
		sewer lines 6 Seepage pit		12 Fertilize			well/gas well	0e10w)	
Direction	on from we	1?		How many	_				
FROM		LITHOLOG		FROM	TO		PLUGGING IN		
20	10.4	STIPF, BROWN, 6	mblusur zith	0.0	10	NCA	3 7	100 110	
14	25.5	LIMESTONE	0 0,1	11.0	13.0	RL	MANT 6 PC	Aller a	
1011		COM SICION		13.0	25,5		30 5.11CA	JAND	
					1				
					* \	00-	MEN CON	STRUCTUR	
					1	1 -	Returned to S		
					1	or Cor	rection Date;	5 28 10	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
under my jurisdiction and was completed on (mo/day/year)									
	Water Wel he business					ompleted re)		Ø=5=10	
INSTRU	CTIONS: Us	se typewriter or ball point pen. PLI	EASE PRESS FIRMLY an	d PRINT clearl	y. Please fi	ll in blanks.	, underline or circle the	orrect answers. Send top	
three cop	ies to Kansas	Department of Health and Environm I one to WATER WELL OW	nent, Bureau of Water, Ge	eology Section,	1000 SW Ja	ickson St., S	Suite 420, Topeka, Kansa	s 66612-1367. Telephone	

http://www.kdheks.gov/waterwell/index.html.