


Range Number  
R 22 ■ E □ WRevised 7/10/2015



<b>HTW DRILLING LOG</b>										HOLE NO. <b>051-BMP2-004</b>
1. COMPANY NAME <b>Burns and McDonnell</b>					2. DRILLING SUBCONTRACTOR <b>Razak</b>					SHEET 1 OF 2 SHEETS
3. PROJECT <b>SFAAP RFI's</b>					4. LOCATION <b>KS</b>					
5. NAME OF DRILLER <b>Tony Poulter</b>					6. MANUFACTURER'S DESIGNATION OF DRILL <b>Geoprobe</b>					
7. SIZES AND TYPES OF DRILLING AND SAMPLING EQUIPMENT					8. HOLE LOCATION <b>Summit</b>					
8. HOLE LOCATION					9. SURFACE ELEVATION					
10. DATE STARTED <b>12/17/20</b>					11. DATE COMPLETED <b>12/17/20</b>					
12. OVERBURDEN THICKNESS <b>10</b>					15. DEPTH GROUNDWATER ENCOUNTERED <b>NA</b>					
13. DEPTH DRILLED INTO ROCK <b>3</b>					16. DEPTH TO WATER AND ELAPSED TIME AFTER DRILLING COMPLETED					
14. TOTAL DEPTH OF HOLE <b>13</b>					17. OTHER WATER LEVEL MEASUREMENTS (SPECIFY)					
18. GEOTECHNICAL SAMPLES <b>NA</b>			DISTURBED <b>NA</b>		UNDISTURBED <b>NA</b>		19. TOTAL NUMBER OF CORE BOXES <b>NA</b>			
20. SAMPLES FOR CHEMICAL ANALYSIS <b>NA</b>			VOC <b>NA</b>		METALS <b>NA</b>		OTHER (SPECIFY) <b>NA</b>		21. TOTAL CORE RECOVERY <b>NA</b> %	
22. DISPOSITION OF HOLE <b>Monitoring Well</b>			BACKFILLED <b>NA</b>		MONITORING WELL <b>Keep</b>		OTHER (SPECIFY) <b>NA</b>		23. SIGNATURE OF INSPECTOR <b>MH</b>	
ELEV. a	DEPTH b	DESCRIPTION OF MATERIALS c	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO. e	ANALYTICAL SAMPLE NO. f	BLOW COUNTS g	REMARKS h			
		some limestone gravel up to 2.5 mm dia	0.0				Recovery 3/5  P20 0.0 L6L 0 0.2 x.9			
	1	CLAY, trace silt, brown (7.54R, 413), med plasticity, damp, hard, ironite staining throughout	0.0							
	2		0.0							
	3		0.0							
	4		0.0							
	5		0.0							

# HTW DRILLING LOG

HOLE NO.  
051-BMP2004

PROJECT

SFAAP RFEs

INSPECTOR

MH *JS*

SHEET 2

OF 2 SHEETS

ELEV a	DEPTH b	DESCRIPTION OF MATERIALS c	FIELD SCREENING RESULTS d	GEOTECH SAMPLE OR CORE BOX NO. e	ANALYTICAL SAMPLE NO. f	BLOW COUNTS g	REMARKS h
	5	CLAY, trace silt, brown (7.5YR 4/4), med. plasticity, damp, very stiff	0.0				
	6		0.0				
	7	CLAY, trace silt, strong brown (7.5YR 4/6) med. plasticity, damp, stiff	0.0				
	8	inc. plasticity with depth	0.0				
	9		0.0				1450
	10	few limestone gravel pieces Limestone, moderate yellowish brown (10YR 6/6) dry weathered					Refuse! 95-10.0' 1523 12/17/2020 HSA drill to 10' then air rotary drill.
	11						PID 0.0 LCL 0.0 0.20.9
	12						
	13						1538 End Boring

PROJECT

SFAAP

HOLE NO.

051-BMP2004