

#2 10

Sent 3-29-77

22

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

CCA

1. Location of well:		County Johnson	Fraction NE SW 1/4 SW 1/4 SW 1/4	Section number 16	Township number T 13 S	Range number R 23 (EW)
2. Distance and direction from nearest town or city: Street address of well location if in city: 2 1/2 NW OLATHE			3. Owner of well: Thomas Hadd R.R. or street: 1009 Cooper City, state, zip code: Olathe, Kansas 66061			
4. Locate with "X" in section below:		Sketch map:			6. Bore hole dia. 7 1/8 in. Completion date 11, 76 Well depth 100 ft.	
					7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
5. Type and color of material		From	To	8. Use: <input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other		
surface (clay)		0	26	9. Casing: Material _____ Height: Above or below Threaded _____ Welded _____ Surface 16 in. RMP _____ PVC <input checked="" type="checkbox"/> Weight 1.75 lbs./ft. Dia. 5 in. to 100 ft. depth Wall Thickness inches or Dia. _____ in. to _____ ft. depth gage No. 1/4" MHC		
lime (grey)		26	35	10. Screen: Manufacturer's name RobinTech Type PVC Dia. 5" Slot/Grill/slot length 70 Set between 30 ft. and 100 ft. Gravel pack? <input checked="" type="checkbox"/> Yes Size range of material 1/8-1/4		
shale (dark grey)		35	43	11. Static water level: _____ mo./day/yr. 34 ft. below land surface Date 12-76		
lime (grey)		43	51	12. Pumping level below land surfaces: _____ ft. after _____ hrs. pumping _____ g.p.m. _____ ft. after _____ hrs. pumping _____ g.p.m. Estimated maximum yield 1 g.p.m.		
shale (grey)		51	68	13. Water sample submitted: _____ mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date _____		
lime (lt. Grey)		68	80	14. Well head completion: <input checked="" type="checkbox"/> Pitless adapter _____ inches above grade		
shale (green)		80	91	15. Well grouted? <input checked="" type="checkbox"/> Yes With: <input checked="" type="checkbox"/> Neat cement _____ Bentonite _____ Concrete _____ Depth: From 2 ft. to 30 ft.		
lime (dark grey)		91	100	16. Nearest source of possible contamination: ft. 200 Direction E Type CREEK Well disinfected upon completion? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
CASING DRILLED AND SLOTTED 100 30'-100'				17. Pump: _____ Not installed Manufacturer's name Gould's Model number SEA HP 1/2 Volts 230 Length of drop pipe 100 ft. capacity _____ g.p.m. Type: <input checked="" type="checkbox"/> Submersible _____ Turbine <input type="checkbox"/> Jet _____ Reciprocating <input type="checkbox"/> Centrifugal _____ Other _____		
perforation size 3/32"				20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. F.E. Young Drilling Co. 240 Business name _____ License No. _____ Address 6325 Robinhood In. 240 Signed F. YOUNG MERRIAM Date 1-77 Authorized representative		
18. Elevation: 870 880 Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley		19. Remarks: Customer is aware of State regulation and agrees to install a 4' square re-enforced concrete platform around top of well. <i>Thomas Hadd</i>				

13
23
23
23
26
SW SW SW
1/4 1/4 1/4

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5

BR = 844
= 836