			V	VATER WELL RECORD	Form WW	C-5 KSA 82a-1	1212 ID N	lo	MW-	.3			
1 LOCATION OF WATER WELL:			Fraction			Section Number	Town	Township Number		Range Number			
	Johi		NW		SW 1/4		T	13	s	R	23	ŒW	
				et address of well if loc	ated within c	ity?						\circ	
	as City Roa												
			ly McBride										
	dress, Box#						Board	of Agricult	ure, Divisi	on of W	ater Res	sources	
City, State, 2	ZIP Code	Law	rence, Kans	sas 67504			Applica	tion Numl	oer:				
3 LOCATE	WELL'S LOC	ATON WI	TH 4 DEPTH	OF COMPLETED WEL		50 455	VATIONI						
AN X II	N SECTION BO	JX:		OF COMPLETED WEL	L	5.0 ft. ELE	VATION:						
	· ·		Depth(s) Gr	oundwater Encountered	4.60	IN/A	τ. 2		π. 3		(4/47/	π.	
i† I	i I	i		ATIC WATER LEVEL									
	NW	NE		Pump test data: Well									
<u>v</u>	1 1		_ Est. Yield _	N/A gpm: Well	water was		ft. after		hours pur	mping		gpm	
. w —		+	E Bore Hole D	Diameter 8.5 in ER TO BE USED AS: nestic 3 Feed lot	. to	5.0	ft. and		in. t	.o		ft.	
i I			WELL WAT	ER TO BE USED AS:	5 Public wa	ater supply	8 AIR C	conditionin exterina	g 11	Other (n well Specify I	helow)	
	SW	SE	2 Irrig	ation 4 Industrial	7 Lawn and	d aarden (domest	ic) for	nitorina w	ے: الم	Outon (Opcony i	001011)	
↓	^	i I		nical/bacteriological san									
	s		- 1	ilical/bacteriological sail	ipie submitte				-			X	
E TYPE OF	F BLANK CAS		submitted	F 14/			ter Well Dis				No		
_				5 Wrought Iron		Concrete tile		IG JUINTS	-				
Ste			IP (SR)		ement 9 (Other (specify belo	ow)						
(2)PV		4 AB		7 Fiberglass					Thread	ed	X		
Blank casing	g diameter	2.3/3	in. to	4.0 ft., Dia		in. to	ft., Dia _		ir	n. to		ft.	
Casing heig	ht above land	surface	Flush Mou	nt in., weight		lbs./ft.	. Wall thick	ness or ga	iuge No.	- SCI	neauie	40	
1				.: E Fiberalese		PVC PVC	1	0 Asbesto	os-cement	ı			
1 Ste 2 Bra			ainless steel Ilvanized steel	5 Fiberglass6 Concrete tile		9 ABS	1	2 None u	specily) sed (open	hole)			
1			NINGS ARE:		Gauzed wrap		8 Saw		iseu (open 1		e (open i	hole)	
	ntinuous slot		3) Mill slot		Wire wrappe		9 Drille				о (орол	,,,,,	
1	uvered shutter	`	4 Key punche	d 7 -	Torch cut		10 Othe	r (specify))				
SCREEN-P	ERFORATED	INTERVA	LS: From	5.0 ft. to	4	. 0 ft.	From		ft. to			ft.	
İ													
GR.	AVEL PACK IN	NTERVAL	S: From	ft. to ft. to	3	3.0 ft.	From		ft. to			ft.	
			From	ft. to		ft.	From		ft. to			ft.	
6 GROUT	MATERIAL:	1 Ne		Cement grout		ft. 3 Bentonite	4 Other						
		0.0	ft. to	1.0 ft. From	1.0	ft. to 3.0	0 ft.	From	,	ft. to		ft.	
What is the	nearest source	e of possi	ble contamination	on:			stock pens						
1	ptic tank	-	4 Lateral I		privy		storage (fo						
	wer lines				-	12 Ferti)	
3 Wa	atertight sewer	lines	6 Seepage		edyard		cticide stora			٠.	•		
Direction fro	-		. •	N/A	•	How man		•		0	- -		
FROM	ТО	CODE				LITHOLOGIC LO							
0.0	0.5		Topsoil										
0.5	4.5		Dark brown	very silty clay, lam	inated, ve	ry firm, moist							
4.5	5.0			ery silty clayey sa	nd, gravel	y, firm, very m	noist-wet						
5.0			Limestone										

							, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
	Flush-mount well completion waiver approved by D. Taylor,									, KDHE-BOW.			
				1-1									
											=7		
				CATION: This water w					-	//	- 1	,	
completed of	on (mo/day/yr)			11/07/06		and this record is	true to the	best of my	knowledg	e and I	belie(. K	ansas	

692

Quad State Services, Inc.

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 & W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

Water Well Contractor's License No.

under the business name of

This Water Well Record was completed in

by (signature)