County: John son

Location listed as:

Section-Township-Range: 25-125-19 E 25-135-23 E

Fraction (1/4 1/4 1/4): SE NW SE SW)

Other changes: Initial statements: Latitude: 973-05

Longitude: 3465.19

Changed to: Latitude: 38, 8863470

Longitude: -94, 8094960

Comments: Values entered in Latitude, boxes are actually footages

From SE corner of section (see Second page).

verification method: Wellsite address, legal description and footages

aerial photos on KGS website initials: &

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

INSTRUCTIONS: Use typewriter or ballpoint pen. Please press firmly and print clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 785/296-5522. Send one to Water Well Owner and retain one for your records. Visit us at http://www.kdheks.gov/geo/waterwells.

ILC of TOPEKA and LAWRENCE, L.L.C.

P.O. BOX 4715 Topeka, Kansas 66604 Phone (785) 233-9954 Fax (785) 233-0059

Attn: Scott McDaniel Tank Management P.O.Box 678 Topeka, Kansas 66601 December 16, 2006

RE: Monitor Well Elevation Survey 520 Kansas City Road, Olathe, Kansas


Bench Mark: Square cut on SW Corner of storm inlet at SW Corner of property.

Elev.: 1029.15 North 778.91 West 3630.59 (from SE Cor. Sec. 25-13-23)

| | MW-1 | top pipe | 1033.89 | | SE1/4, NW1/4, SE1/4, SW1/4 |
|---|------|----------|---------|--------------|--|
| | | rim | 1034.08 | West 3437.85 | |
| / | MW-2 | top pipe | 1032.66 | North 973.05 | SE1/4, NW1/4, SE1/4, SW1/4 |
| | | rim | 1034.17 | West 3465.19 | |
| | MW-3 | top pipe | 1031.37 | North 897.01 | SE1/4, NW1/4, SE1/4, SW1/4 |
| | | rim . | 1031.54 | West 3575.48 | |
| | MW-4 | top pipe | 1029.58 | North 844.36 | SW1/4, NW1/4, SE1/4, SW1/4 |
| | | rim | 1029.92 | West 3661.63 | |
| | MW-5 | top pipe | 1031.72 | North 928.25 | SW1/4, NW1/4, SE1/4, SW1/4 |
| | | rim | 1031.87 | West 3635.05 | |
| | MW-6 | top pipe | 1029.15 | North 749.92 | SW1/4, NW1/4, SE1/4, SW1/4 |
| | | rim | 1029.32 | West 3673.00 | |
| | MW-7 | top pipe | 1029.78 | North 680.80 | SW1/4, NW1/4, SE1/4, SW1/4 |
| | | rim | 1029.93 | West 3808.00 | 277 27 13 21 17 27 13 22 27 13 27 27 1 |
| | | | | | |

A recipient of the Greater Topeka Chamber of Commerce Small Business of the Year Award for 1995

Mortgage Title Inspections • Boundary Surveys No Start Certificates • Flood Letter Certification



(+, E, C 5) my

υ, :