WATE	K WELL	RECORD	Form W W	C-5 D	ivision of Wa	ater Reso	urces; App. No.	
1 LOCATION OF WATER WELL: County: Johnson			NW 1/4 SE 1/4	4 SW 4	25		т 13 ѕ	er Range Number
Distance a	and direction	on from nearest town 520 E. Kansas City R	or city street address	ss of well if	Global Pos Latitude:	sitioning N 38.	s System (decimal d .88598°	legrees, min. of 4 digits)
	TID TELEVISION &	OWNER MANA	O'L C D II DI		Longitude			220.00
	OWNER: M&M		Elevation: RIM: 1030.09; TOC: 1029.80 Datum: NAVD88					
City S	State 7TP (s, Box # : 520 E. I Code : Olathe,	KS City Ku.				fethod: legal surve	ev
3 LOC	ATE WELL	L'S 4 DEPTH OF	COMPLETED V	WELL 5	Data Con	CCHOII IV	ft.	J
	ATE WEE	DEITH OF	COMILETED	VEED 3	MW11		···	
l .	H AN "X" I	IN Denth(s) Group	idwater Encountere	-d 1		ft 2	ft	3 ft
l	TION BOX	WFIL'S STAT	TIC WATER LEVE	FI. 3.13	ft helow la	nd surfa	ce measured on mo	3 ft. o/day/yr 6/10/14
ore:	N							nping gpm
 		7 Fet Yield	onm: Well w	vater was	ft.	after	hours pun	nping gpm
	, <u> </u>		R TO BE USED AS	S. 5 Public v	veter sunniv	2 & Air	conditioning 11	Injection well
	~ 							Other (Specify below)
w 		E 1 Domestic 5	Industrial 7 Dome	estic (lawn &	pry (Moni	itoring well	mer (specify ociow)
Lei			Illustrar , Dom.	.csiic (iumi =	, Burgon, A	0	toring wen	
Sv	V SE-		1/hacteriological sat	male submitt	ed to Depar	tment?	Vec No X	; If yes, mo/day/yrs
	S S							
S Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
5 TYPE	OF CASI	NG USED: 5	Wrought Iron	8 Conc	ete tile	CASI	NG JOINTS: Glu	edClamped
1 Ste	eel	3 RMP (SR) 6	Asbestos-Cement	9 Other	(specify be	low)	Wel	lded
(2)PV	/C	4 ABS 7	Fiberglass				Thre	eaded X
Blank cas	ing diamete	er 2 in. to	2 ft., Dia		in. to	ft.,	Dia	eaded X in. to ft. e No.
Casing hei	ight below l	and surface 0.2	9 ft., Weight		lbs./	ft. Wall	l thickness or gaug	e No.
TYPE OF	SCREEN	OR PERFORATION	MATERIAL:		-			
1 Ste	eel 3 Stai	nless steel 5 Fib	erglass 7 PVC	3 9	ABS		11 Other (specify	y) -
2 Br	ass 4 Gal	vanized steel 6 Co	ncrete tile 8 RM	(SR) 10	Asbestos-Co	ement	12 None used (o)	pen hole)
SCREEN 1 Co	OK PERFO	ORATION OPENING	JS AKE: 5 Gauze wran	med 7 Tot	ch cut	0 Drille	ad holes 11 No	ne (onen hole)
2 Lo	nivered shu	tter 4 Kev punche	d 6 Wire wrapp	ed 8 Sav	v Cut 1	10 Other	(specify)	ne (open hole)
SCREEN	-PERFOR	TED INTERVALS:	From 2	ft. to	5	ft. Fro	om fi	. to ft.
	•		From	ft, to		ft. Fro	om ft	to ft.
GR	AVEL PA	CK INTERVALS:	From 1.75	ft. to	5	ft. Fro	ım fi	t. to ft.
		211 211 221 1	From	ft. to		ft. Fro	m ft	to ft.
CDOL			1.011	<u></u>		201	~	. 10
6 GROU	JT MATE	RIAL: I Neat cem	ent 2 Cement gro	out (Jisen	tonite (4	Otner	Concrete: 0-1'	ft. to ft.
Grout inte	rvals r	rom 1 II. to	1.75 n. From	П	. to	n.	From	tt. to 1t.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)								
_	tic tank							16 Other (specify
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well								
	from well?		ii 9 recuyatu		izer storage ny feet? ~22		ven gas wen	
						1		
FROM	TO		OGIC LOG	FRON	I TO		PLUGGING IN	TERVALS
0		Soil & gravel						
3		Silty clay w/ sand Red grown clayey s	and w/ graval				440-444-674	
5		Limestone	and w/ graver					
		Limestone						
			- t- 44*4*					

						Flushm	ount waiver from	BOW
		S OR LANDOWNE						
under my ju	irisdiction ar	nd was completed on (n		5/30/14				knowledge and belief.
		ntractor's License No.				ompletea	on (mo/day/year)	6/27/14
		e of Larsen & Asso		by (signa				
Geology Sec	tion, 1000 SW	e fill in blanks or circle the	opeka, Kansas 66612-13	367. Telephone	to Kansas Der 785-296-5522.	partment o	e to WAVER WELL O	wner, Bureau of Water, WNER and retain one for