KOLAR Document ID: 1591852

WATER WELL I			WWC-5 te in Well Use		vision of Wat			W-11 ID		
Original Record Correction Chang LOCATION OF WATER WELL:			Fraction		ources App. No.			Well ID	ge Number	
County:				1/4		bel	T S	R R	$\Box E \Box W$	
					reet or Rural Address where well is located (if unknown, distance and					
					irection from nearest town or intersection): If at owner's address, check here:					
Address:										
Address:										
City:		State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COMPLETED WELL:								(decimal degrees)	
SECTION BOX:	Depth(s) G			Longitude:(decimal degrees)						
N		ft.		Datum: WGS 84 NAD 83 NAD 27						
	WELL'S S				Source for Latitude/Longitude:					
			yr) yr)		☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)					
NWNE X	Pump test d				Land Survey Topographic Map					
	-	hour			Online Mapper:					
SW SE		Well water was ft.								
3W 3E		hour	gpm	6 Elevation:ft. Ground Level TOC						
S	Estimated Y Bore Hole I		ft and		Source: Land Survey GPS Topographic Map					
1 mile	Bole Hole I			<u></u>		Other				
1 mile in. to ft. 7 WELL WATER TO BE USED AS:										
1. Domestic: 5. Dublic Water Supply: well ID 10. Doil Field Water Supply: lease										
☐ Household	6. Dewatering: how many wells?				11. Test Hole: well ID					
🗌 Lawn & Garden						Uncased C				
					12. Geothermal: how many bores?					
2. Irrigation			·····			Loop Horizonta				
3. ☐ Feedlot 4. ☐ Industrial		□ Air Sparge □ Soil Vapor Extraction □ Recovery □ Injection				b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:										
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded										
Casing diameter in. to ft., Diameter in. to ft.										
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
□ Steel □ Stainless Steel □ PVC □ Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft. to ft. of the form ft. to										
9 GROUT MATERIAL: Deat cement Dement grout Dentonite Dother										
Grout Intervals: From										
Nearest source of possible contamination: No potential source of contamination within 200 ft.										
Septic Tank		Lateral Line			Livestock P		Insectic			
Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well										
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)										
Direction from well?										
10 FROM TO		LITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
				Nater		L				
<u>├</u>	Notes:									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged										
under my jurisdiction a	ind was comp	leted on (n	no-day-year)	and	this record	is tru	e to the best of my	v knowled	ge and belief.	
Kansas Water Well Co	ntractor's Lic	ense No	This Wa	ter Well Red	cord was co	mplet	ted on (mo-day-ye	ear)		
under the business nam	<u>e of</u>									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.										
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										