

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number																																											
County: <u>Johnson</u>		<u>SW</u> 1/4 <u>NE</u> 1/4 <u>NE</u> 1/4		<u>35</u>		T <u>13</u> S		R <u>23</u> <u>EW</u>																																											
Distance and direction from nearest town or city street address of well if located within city?																																																			
<u>200 S. Kansas, Olathe, KS.</u>																																																			
2 WATER WELL OWNER: <u>Al Spruytte's 66</u>																																																			
RR#, St. Address, Box # : <u>200 S. Kansas</u>						Board of Agriculture, Division of Water Resources																																													
City, State, ZIP Code : <u>Olathe, KS.</u>						Application Number:																																													
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>18'6"</u> ft. ELEVATION: _____ ft.																																																	
		Depth(s) Groundwater Encountered 1. <u>7'</u> ft. 2. _____ ft. 3. _____ ft.																																																	
		WELL'S STATIC WATER LEVEL <u>4.62</u> ft. below land surface measured on mo/day/yr <u>4-13-95</u>																																																	
		Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm																																																	
		Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm																																																	
		Bore Hole Diameter <u>8 1/2"</u> in. to <u>18'6"</u> ft., and _____ in. to _____ ft.																																																	
WELL WATER TO BE USED AS:																																																			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below)																																																			
Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> ; If yes, mo/day/yr sample was submitted _____																																																			
Water Well Disinfected? Yes _____ No <u>X</u>																																																			
5 TYPE OF BLANK CASING USED:																																																			
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) CASING JOINTS: Glued _____ Clamped _____ 2 <u>PVC</u> 4 ABS 7 Fiberglass _____ Welded _____ Blank casing diameter <u>23.75</u> in. to <u>8'</u> ft., Dia. _____ in. to _____ ft., Dia. _____ in. to SDR <u>13</u> ft.																																																			
Casing height above land surface <u>Fresh Mound</u> in., weight _____ lbs./ft. Wall thickness or gauge No. <u>SCH. 40</u>																																																			
TYPE OF SCREEN OR PERFORATION MATERIAL:																																																			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) _____ 12 None used (open hole)																																																			
SCREEN OR PERFORATION OPENINGS ARE:																																																			
1 Continuous slot 3 <u>Mill slot</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) _____																																																			
SCREEN-PERFORATED INTERVALS: From <u>18'</u> ft. to <u>8'</u> ft., From _____ ft. to _____ ft.																																																			
GRAVEL PACK INTERVALS: From <u>18'6"</u> ft. to <u>6'</u> ft., From _____ ft. to _____ ft.																																																			
6 GROUT MATERIAL: 1 Neat cement 2 <u>Cement grout</u> 3 Bentonite 4 Other _____																																																			
Grout Intervals: From <u>6'</u> ft. to <u>4'</u> ft., From <u>4'</u> ft. to <u>0'</u> ft., From _____ ft. to _____ ft.																																																			
What is the nearest source of possible contamination:																																																			
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 <u>Fuel storage FARMER</u> 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) _____ 13 Insecticide storage																																																			
Direction from well? <u>South</u> How many feet? <u>4'</u>																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>1.50</td> <td>Gravel/concr. rubble</td> <td></td> <td></td> <td></td> </tr> <tr> <td>1.50</td> <td>5.25</td> <td>Dk gray-blk. soft clayey fill, mottled, mod. to slight odor, moist.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5.25</td> <td>10</td> <td>Med. brn w/ gray clay mottling, iron oxides, mod. odor decreasing w/ depth, firm, moist.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>16</td> <td>Yellowish brn clayey shale grading to shale, moist, friable, no odor.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>16</td> <td>18'6"</td> <td>Limestone shelf 6". Olive gray shale, dry, firm, no odor.</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>Limestone at 18'6"</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	1.50	Gravel/concr. rubble				1.50	5.25	Dk gray-blk. soft clayey fill, mottled, mod. to slight odor, moist.				5.25	10	Med. brn w/ gray clay mottling, iron oxides, mod. odor decreasing w/ depth, firm, moist.				10	16	Yellowish brn clayey shale grading to shale, moist, friable, no odor.				16	18'6"	Limestone shelf 6". Olive gray shale, dry, firm, no odor.						Limestone at 18'6"			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																														
0	1.50	Gravel/concr. rubble																																																	
1.50	5.25	Dk gray-blk. soft clayey fill, mottled, mod. to slight odor, moist.																																																	
5.25	10	Med. brn w/ gray clay mottling, iron oxides, mod. odor decreasing w/ depth, firm, moist.																																																	
10	16	Yellowish brn clayey shale grading to shale, moist, friable, no odor.																																																	
16	18'6"	Limestone shelf 6". Olive gray shale, dry, firm, no odor.																																																	
		Limestone at 18'6"																																																	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4-6-95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>539</u> This Water Well Record was completed on (mo/day/yr) <u>4-17-95</u> under the business name of <u>JB Environmental Drilling</u> by signature <u>James Bieber</u>																																																			