		WAT	TER WELL RECORD	Form WWC-	-5 KSA 82a	ı-1212		
LOCATION OF W		Fraction		Se	ection Number	Township Number	I	
County: Johnson	o N			E 1/4	3	т /3	s R 24	E W
Distance and direction	on from nearest to		t address of well if locate		,			
12419	1 W. 45	5 + K S'7	reet, Len	exa				
WATER WELL O	OWNER: Texa	co Kesin	ing and Mo	arketia	S, IRC.			
RR#, St. Address, B	30x # : 1437	. 5. Bo	ulder	`	.	_	ulture, Division of Wat	ter Resources
City, State, ZIP Code		a, OE1	ahoma 71	1119				
LOCATE WELL'S	LOCATION WITH	14 DEPTH OF	COMPLETED WELL. ndwater Encountered 1	7.5	ft. ELEVA	TION: 96.36		
' AN "X" IN SECTION								
<u> </u>	X		TIC WATER LEVEL 🎜 🗤					
_ \ <u>\</u> \	NE	Pur	imp test data: Well wate	er was	ft. a	fter ho	urs pumping	gpm
			gpm: Well water					
<u>. i i i i i i i i i i i i i i i i i i i</u>		Bore Hole Diar	meter . 82.5 in. to	TP		and	in. to	.
ž w !		WELL WATER	R TO BE USED AS:	5 Public wa	ter supply	8 Air conditioning		
- ' ' ' ' ' ' ' ' '		1 Domesti			ater supply	9 Dewatering	12 Other (Specify	/ below)
317	- 35	2 Irrigation	n 4 Industrial	7 Lawn and	garden only 🕻	10 Monitoring well	.,	
		Was a chemica	al/bacteriological sample	submitted to !	Department? Yo	esNo🗴	; If yes, mo/day/yr sar	mple was sub-
	S	mitted			Wa	iter Well Disinfected? \	Yes No	X
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Conc	crete tile	CASING JOINTS	S: Glued Clam	nped
1 Steel	3 RMP (S	3R)	6 Asbestos-Cement	9 Othe	r (specify below	N)	Welded	. <u>.</u> <i></i>
2 PVC	4 ABS	2	7 Fiberglass				Threaded	K
		_	/ Fiberglass				~ /	1/ -
Casing height above	land surface	©	in., weight	<u> </u>	Ibs./	ft. Wall thickness or ga	auge No S.c. A	40
TYPE OF SCREEN	OR PERFORATIO	ON MATERIAL:		(7 P	vc	10 Asbestos	s-cement	
1 Steel	3 Stainles	ss steel	5 Fiberglass	8 R	MP (SR)	11 Other (s	pecify)	
2 Brass	4 Galvania	ized steel	6 Concrete tile	9 A	BS	12 None us	sed (open hole)	
SCREEN OR PERFO	ORATION OPENII	NGS ARE:	5 Gauz	zed wrapped		8 Saw cut	11 None (op	en hole)
1 Continuous s	slot 3 N	Mill slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered shu	utter 4 K	Key punched	7 Torch			10 Other (specify)		
SCREEN-PERFORA	TED INTERVALS:	: From7	7.45 ft. to .	4.5	ft., Fror	m	ft. to	
			ft. to .					
GRAVEL P	PACK INTERVALS	i: From. 7. 1	. 5 ft. to .	7	ft., Fror	m	ft. to	ft.
		From	ft. to		ft., Fror	m	ft. to	ft.
GROUT MATERIA		cement	2 Cement grout			Other		
Grout Intervals: Fr	rom 🧭	.ft. to 4 .5.	ft., From 4	ا. 	to	ft., From	ft. to	
What is the nearest	source of possible	e contamination:			10 Lives	tock pens	14 Abandoned water	er well
1 Septic tank	4 Late	eral lines	7 Pit privy	7 Pit privy		storage >	15 Oil well/Gas we	:11
2 Sewer lines	5 Cess	•	8 Sewage lag	8 Sewage lagoon 12 Fe		izer storage 16 Other (specify below)		pelow)
	ewer lines 6 Seep	page pit	9 Feedyard	9 Feedyard 13		ticide storage		
Direction from well?	South e	ast			How mar			
FROM TO	 	LITHOLOGIC	CLOG MW-5	FROM	то	PLUGO	GING INTERVALS	
0 ,5	Asphalt	-						
.5 2.0			black mortin	5	 			
	WET, /	ow plas	tic, silty	1				
	clay	· · · ·			-		. W. A.	
2 2.5	Gray - 1	, 1	un, Mcaeous			*		
	Siltston	Ne			\bot			
2.5 7.5	Light b	rown,	clayey,		1			
	silt, c	114			<u> </u>			announded to a section of the sectio
					1			
		.					AND THE TOP TH	
			SA ABAB.		1			
					1			
					1			
			TION: This water well w	as (1) constr	ucted, (2) reco	nstructed, or (3) plugg-	ed under my jurisdic	tion and was
⊐ completed on (mo/da								
	ay/year) 🗶 . 🎉 🗸 📞	1 <i>7.7.2.</i>			and this reco-	rd is true to the best of	my knowledge and b	neliet.Kansas į
Water Well Contracto						ord is true to the best of on (mo/day/yn)		pelief. Kansas