	WATER	R WELL RECORD FO	orm WWC-5	KSA 82a-	1212	Danie Number
LOCATION OF WATER WELL:	Fraction	**** C(. 1	Number 9	Township Number	Range Number
County: Tohnson Distance and direction from nearest to	NW 1/4	NW 1/4 560			1 /3	
Distance and direction from hearest to	4650	Sante Fe	tout/	Dri	ve Lener	ξ
	rited Pare					MW-B
1		to Fe trail 6	rice		Board of Agriculture	e, Division of Water Resources
	eneze K	5 66 219	5		Application Numbe	r:
LOCATE WELL'S LOCATION WIT	H 4 DEPTH OF C	OMPLETED WELL	20	ft. ELEVAT	ION:	
J AN "X" IN SECTION BOX:	Depth(s) Ground	water Encountered 1	/ . 9	ft. 2.		. 3
	WELL'S STATIC	WATER LEVEL . 1.9	r7 ft. belo	w land surf	ace measured on mo/day	/yr
NW - NE -	Pump	test data: Well water	was	ft. aft	ter hours	pumping gpm
	Est. Yield	gpm: Well water	was	ft. aff	ter hours	pumping gpm
w - 1	S I				Ind	.in. to
ž W X ! !	i	O D_	Public water s	,		12 Other (Specify below)
sw = se	1 Domestic	3 Feedlot 6	Oil field water	supply	0 Monitoring well	
	2 Irrigation	4 Industrial 7	Lawn and yan	artment? Ve	s No It	ves, mo/day/yr sample was sub-
	t t	pacteriological sample so	ionilited to Dept	Wat	er Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING USED	mitted	5 Wrought iron	8 Concrete		CASING JOINTS: G	lued Clamped
		6 Asbestos-Cement				elded
4.400	` ,	7 Eiborolage			TI	nreaded
Stanta assistant diameter 2	in to	> fi Dia	in. to		ft., Dia	in. to ft.
Casing height above land surface.		.in., weight	<i></i> <u></u> .	lbs./f	t. Wall thickness or gauge	e No 5 c. 4 . 4 . 5
TYPE OF SCREEN OR PERFORAT	ION MATERIAL:	, •	7 PVC)	10 Asbestos-co	auleur
	less steel	5 Fiberglass	8 RMP	(SR)		cify)
	anized steel	6 Concrete tile	9 ABS		12 None used	` '
SCREEN OR PERFORATION OPEN	NINGS ARE:		d wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	Mill sio	6 Wire w	• •		9 Drilled holes	
	Key punched	7 Torch	cut		10 Other (specify)	t to
SCREEN-PERFORATED INTERVAL	_S: From	/ . ? ft. to		tt., Fror	n	ft. to
			20	π., Fror	m	ft. toft.
GRAVEL PACK INTERVAL			🕶 🕶	ft., From		ft. to
T ==	From	ft. to 2 Cement group	3 Bentoni		<u> </u>	
<u></u>		ft., From		~		ft. to
Grout Intervals: From		16., 170111	,			4 Abandoned water well
	ateral lines	7 Pit privy		1 Fuel		5 Oil well/Gas well
	Cess pool	8 Sewage lago	юп			6 Other (specify below)
3 Watertight sewer lines 6 S	•	9 Feedyard		13 Insec	ticide storage	
Direction from well? Nor t	,	· · · · · · · · · · · · · · · · · · ·		How ma	ny feet? 80	IO INTERVALO
FROM TO	LITHOLOGIC	LOG	FROM	то	PLUGGIN	IG INTERVALS
	brown s	ilty CG AY				
8 /2 bros	wy fine s	only CLAY				
12 20 brown	gay, t.z	esinly UN	-			
Carre	tale	sing height	Varian	ce 9	ran tod	
	· C and Ca,	"""				
				1		
7 CONTRACTOR'S OR LANDOW	VNER'S CERTIFICA	TION: This water well w	as (1) construc	ted (2) rec	onstructed, or (3) plugged	under my jurisdiction and was
completed on (mo/day/year)	2-9-90	•		and this rec	ord is true to the best of it	hy knowledge and belief. Kansas
Water Well Contractor's License No	o. 517	This Water W	ell Record was		20 2 1 1	
Lunder the business name of Carl	and the safer	Jech., Inc.		by (signa	ature) Bank	MAN
INSTRUCTIONS: Use typewriter or ball of Health and Environment, Bureau of N			lease fill in blanks, t	underline or circ VATER WELL (cle the correct answers. Send top OWNER and retain one for your	three copies to Nansas Department records.
I of Health and Environment, Bureau of \	water, Topeka, Kansas 66	1020-1320. Telephone. 913-290-0	, 1		•	