WATER WELL RECORD	Form WW	/C-5			r Resources App. No		
1 LOCATION OF WATER WELL: County: Johnson	Fraction NW 1/4 SW 1/4 SW	1/4 SW 1/4	Section	on Number 10	Township No. T 13 S		
Street/Rural Address of Well Location; if unknown, distance & direction			Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .				Latitude: (in decimal degrees)			
Former Quick Trip #235C				Longitude: (in decimal degrees) Elevation:			
11065 Pflumm Road, Lenexa, KS 66215				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: QuickTrip Corporation			Collec	Collection Method:			
RR#, Street Address, Box #: 4705 South 129th East Avenue City, State, ZIP Code : Tulsa OK 74123		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey					
City, State, ZIP Code : Tulsa, OK 74123			Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL ft.							
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)							
N WELL'S STATIC WATER LEVEL! אַ הוא הוא ft. below land surface measured on mo/day/yr. 2/18/2015							
Pump test data: Well water was N/A							
EST. YIELD N/A gpm. Well water was N/A ft. after N/A hours pumping N/A gpm  Bore Hole Diameter 8.25 in. to ft., and N/A in. to N/A ft.							
W   F   Bore Hole Diameter 9.29							
Domestic							
X							
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted N/A							
S If yes, mo/day/yr sample was submitted N/A							
5 TYPE OF CASING USED: Steel PVC Other Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 2 in to H. ft., Diameter N/A in to N/A ft., Diameter N/A in to N/A ft.							
Casing height above land surface. 0. in., Weight N/A. lbs./ft., Wall thickness or gauge No. Schedule 40.							
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)							
☐ Steel ☐ Stainless Steel							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft. ft. from N/A ft. to N/A ft.							
From N/A ft. to N/A ft., From N/A ft. to N/A ft.							
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Concrete 0 to 2-feet Grout Intervals: From 2 ft. to 3 ft., From N/A ft. of N/A ft., From N/A ft. of N/A ft.							
What is the nearest source of possible conta	mination:	_		_			
Septic tank Lateral lin		Livestock Fuel storage		☐ Insecticide ☐ Abandoned		ner (specify below)	
Sewer lines   Cesspool   Sewage lagoon   Fuel stolage   Abandolied water well     Watertight sewer lines   Seepage pit   Feedyard   Fertilizer storage   Oil well/gas well							
Direction from well	TO 1 00					ICCDIC DITERVALC	
FROM TO LITHOLOG		FROM	TO	LITHO, LO	OG (cont.) or PLU	JGGING INTERVALS	
2 2 Concrete 6"	Branch (Fill)						
5 10 Fat clay dark	any to						
Yellow brown	moist						
highly plastic	Stiff						
10 124 (ill fight gran	y to yellowish						
L'us estans							
The store							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year)							
under the business name of RAZEK Environmental LLC by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen	PLEASE PRESS FIRMLY	ind PRINT cl	early. Ple	ase fill in blanks	and check the correct	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
http://www.kdheks.gov/waterwell/index.html							