

WATER WELL RECORD  
KSA 82a-1201-1215

BBD

1 Location of well:	County <b>Johnson</b>	Township name <b>13S</b>	Fraction <b>SE 1/4 NW 1/4</b>	Section number <b>3</b>	Town number <b>13S</b>	Range number <b>25E</b>
Distance and direction from nearest town or city: <b>IN OVERLAND PARK, MO.</b>			3 Owner of well: <b>Don Barnes</b>			
Street address of well location if in city: <b>9611 Chadwick Overland Park, Ks. 66206</b>			Address: <b>9611 Chadwick Overland Park, Kansas 66206</b>			
Locate with "X" in section below:		Sketch map:		4 Well depth: <b>198</b> ft. Date of completion: <b>8-25-75</b> Well diameter: <b>8 1/2</b> in. 5 <input checked="" type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary 6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/> Water yard 7 Casing: Material: <b>RMP</b> Height: <b>above</b> below Threaded <input type="checkbox"/> Welded <input type="checkbox"/> Surface <b>12</b> in. <b>Don cemented</b> Weight: <b>12</b> lbs./ft. in. to <b>198</b> ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No in. to <b>198</b> ft. depth 8 Screen: <b>Pioneer Mfg.</b> Manufacturer: <b>none</b> Type: <b>RMP</b> Dia. <b>5</b> in. Slot/gauze: <b>see note</b> in. <b>20</b> Set between <b>25</b> ft. and <b>198</b> ft. Fittings: <b>1 x 1/8</b> Gravel pack: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material: <b>1/4</b> to <b>1/2</b> in.		
2 Type and color of material				From To surface 0 3 clay brown 3 24 lime 24 31 shale gray 31 34 lime 34 47 shale gray 47 76 lime 76 80 shale gray 80 83 lime 83 98 shale gray 98 99 lime 99 107 shale gray 107 108 lime 108 114 shale gray 114 115 blk slate 115 117 shale gray 117 118 lime 118 138 shale gray 138 139 blk slate 139 141 lime 141 161 shale 161 198		
16 Remarks: elevation <b>940</b> Topography: <input type="checkbox"/> Hill <input checked="" type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley Customer aware of regulation and agrees to install concrete slab around casing. Note: Slot size. All casing perforated with 3/32 drill from bottom of cement to bottom of the well <b>F. E. Young</b>				17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. <b>F. E. Young Drilling Co.</b> Business name: <b>6355 Robinhood Ln. Me</b> License No. <b>#471</b> Address: <b>F. E. Young</b> Date: <b>8-25-75</b> Signed: <b>F. E. Young</b> Authorized representative		

$$BR = 916$$
$$\underline{\underline{\nabla}} = 916$$